### NASA TECHNICAL NOTE



## NASA TN D-5110

C.1



LOAN COPY: RETURN TO AFWL (WLIL-2) KIRTLAND AFB, N MEX

## TABLES OF MIE SCATTERING FUNCTIONS FOR PARTICLES WITH REFRACTIVE INDEX 1.5

by M. P. McCormick and J. D. Lawrence, Jr.

Langley Research Center

Langley Station, Hampton, Va.

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION . WASHINGTON, D. C. . MARCH 1969



#### TABLES OF MIE SCATTERING FUNCTIONS FOR

PARTICLES WITH REFRACTIVE INDEX 1.5

By M. P. McCormick and J. D. Lawrence, Jr.

Langley Research Center Langley Station, Hampton, Va.

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

# TABLES OF MIE SCATTERING FUNCTIONS FOR PARTICLES WITH REFRACTIVE INDEX 1.5\*

By M. P. McCormick and J. D. Lawrence, Jr. Langley Research Center

#### SUMMARY

Single-particle backscatter intensity functions and efficiency factors for spherical particles of refractive index 1.5 have been calculated by using rigorous Mie theory. The single-particle results have been integrated over a Junge size distribution at four laser wavelengths for a range of parameters representative of the atmospheric aerosol. The laser wavelengths are  $1.0600~\mu\text{m}$ ,  $0.6943~\mu\text{m}$ ,  $0.5300~\mu\text{m}$ , and  $0.3472~\mu\text{m}$ , corresponding to the output of a neodymium laser and ruby laser and their second harmonics, respectively. The Junge size-distribution parameters 2.50, 3.00, 3.50, and 4.00 and particle radii limits of approximately 0.04 to 3.00  $\mu\text{m}$ , 0.04 to 10.00  $\mu\text{m}$ , 0.08 to 3.00  $\mu\text{m}$ , and 0.08 to 10.00  $\mu\text{m}$  were used.

#### INTRODUCTION

The recent development of the high-intensity giant pulse laser has placed new emphasis on light scattering methods of investigating the atmosphere and, in consequence, a need has been created for extending theoretical calculations of the scattering properties of the atmosphere to laser wavelengths.

The earth's atmosphere is composed of particles that range in size from molecules to cloud droplets. The scattering properties of these particles must be understood to interpret their role in the radiative transfer of visible and infrared light in our atmosphere. Furthermore, the integrated scattering properties of aggregates of these particles with a given continuous size distribution must be investigated.

The scattering of electromagnetic radiation from particles with a size parameter (circumference divided by wavelength of incident radiation) much smaller than unity is

<sup>\*</sup>A part of the material presented herein was included in a thesis by M. P. McCormick entitled "Laser Backscatter Measurements of the Lower Atmosphere" offered in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Physics, The College of William and Mary in Virginia, Williamsburg, Virginia, August 1967.

well understood and was first solved by Rayleigh (ref. 1). This type of scattering, referred to as Rayleigh scattering, provides the solution for light scattering from molecules in our atmosphere. Larger particles of various substances in solid and liquid state in suspension are collectively referred to as aerosols and are subject to a more general scattering law. These aerosols cover a size range of five orders of magnitude and encompass molecular clusters, small ions of relatively low concentration, various particles which follow a power-law size distribution from about 0.04  $\mu$ m to about 10.00  $\mu$ m radius, and larger dust and moisture particles with radii as large as 100  $\mu$ m. Various approximate solutions of the scattering problem for these particles have been attempted for various ranges of size parameter and index of refraction. These approximations, however, are just simplifications of a general rigorous solution; the interpretation of the scattering properties of the atmosphere must include the formal solution of Maxwell's equations. This solution was done by Mie (ref. 2) for spherical particles of arbitrary radius and index of refraction. The exact solution for the scattered amplitude in any direction is an infinite series of products of Bessel functions of the particle radius and Legendre polynomials of the cosine of the scattering angle.

Existing Mie calculations, such as those by Gumprecht and Sliepcevich (ref. 3), Penndorf and Goldberg (ref. 4), Bullrich (ref. 5), and Deirmendjian, Clasen, and Viezee (ref. 6), have not been performed at laser wavelengths or an index of refraction and size distribution representative of the atmospheric aerosol. The purpose of the calculations presented in this paper is to extend existing Mie calculations to laser wavelengths and parameters characteristic of the atmospheric aerosol. The results of these calculations are listed in tables I and II. Table I lists the single-particle efficiency factors and backscatter intensity functions for size parameter ranges of 0.01 to 1.99 in increments of 0.01 and from 2.00 to 181.90 in increments of 0.10. Table II lists the integrated Mie intensity functions and integrated efficiency factors for wavelengths of 0.3472  $\mu$ m, 0.5300  $\mu$ m, 0.6943  $\mu$ m, and 1.060  $\mu$ m; Junge (ref. 7) size-distribution parameters of 2.50, 3.00, 3.50, and 4.00; and for particle radii limits of approximately 0.04 to 3.00 and 10.00  $\mu$ m, and 0.08 to 3.00 and 10.00  $\mu$ m.

#### **SYMBOLS**

 $\begin{array}{lll} A_m & \text{mathematical symmetry factor} \\ a_m(\alpha,\eta), b_m(\alpha,\eta) & \text{Mie coefficients} \\ c & \text{size-distribution constant, meters}^{-3} \; (\nu=3) \\ F & \text{scattered intensity, watt-meter}^{-2} \end{array}$ 

F<sub>o</sub> incident intensity, watt-meter-2

 $f(\alpha_1, \alpha_2, \eta, \theta, \nu)$  Mie scattering function, meter-1-steradian-1

$$\mathbf{I}=\mathbf{I_1}=\mathbf{I_2}$$

- $I_1(\alpha,\eta,\theta)$  Mie intensity functions for light with electric vector perpendicular to plane through direction of propagation of incident and scattered waves
- $I_2(\alpha,\eta,\theta)$  Mie intensity functions for light with electric vector parallel to plane through direction of propagation of incident and scattered waves

J Bessel function

$$K(\alpha_1,\alpha_2,\eta,\nu)$$
 integrated efficiency factor for Junge size distribution,  $\int_{\alpha_1}^{\alpha_2} \frac{Q_S(\alpha,\eta)}{\alpha^{\nu-1}} d\alpha$ 

k free-space propagation constant,  $\frac{2\Pi}{\lambda}$ , meter-1

m order of Legendre polynomial and Bessel function

N total number of Mie particles per unit volume, meters-3

- dn(r) particle size distribution or number of particles with radii between r and r + dr per unit volume, meters-3
- $P_{m}(x)$  Legendre polynomial of degree m
- $Q_S(\alpha,\eta)$  dimensionless Mie scattering coefficient or efficiency factor for scattering,  $\frac{\sigma_S(\alpha,\eta)}{\Pi r^2}$

r radius of aerosol particle, meters

r<sub>1</sub> lower radius limit of particle size distribution, micrometers

r<sub>2</sub> upper radius limit of particle size distribution, micrometers

- $\mathbf{S_1}(\alpha,\eta,\theta)$  dimensionless complex amplitude functions for light with electric vector perpendicular to plane through direction of propagation of incident and scattered waves
- $S_2(\alpha,\eta,\theta)$  dimensionless complex amplitude functions for light with electric vector parallel to plane through direction of propagation of incident and scattered waves
- ΔV scattering volume, meters<sup>3</sup>
- x argument of Legendre polynomial,  $\cos \theta$
- Z distance between scatterer and detector, meters
- $\alpha$  particle-size parameter,  $\frac{2\Pi r}{\lambda}$
- $\alpha_1$  particle-size parameter corresponding to  $r_1$
- $\alpha_2$  particle-size parameter corresponding to  $r_2$
- $\Delta \alpha$  incremental  $\alpha$
- $\beta$  Mie scattering coefficient, meter-1
- $\eta$  index of refraction of particle
- $\theta$  scattering angle measured between forward direction and scattered wave, degrees
- λ wavelength of incident light, micrometers
- $\nu$  Junge size-distribution parameter
- $\Pi_{m}(x)$  angular dependence of intensity function,  $\frac{dP_{m}(x)}{dx}$
- $\sigma_{A}(lpha,\eta)$  single-particle Mie cross section for absorption, meters<sup>2</sup>
- $\sigma_{_{\rm E}}(lpha,\eta)$  single-particle Mie cross section for extinction, meters<sup>2</sup>

 $\sigma_{\rm S}(lpha,\eta)$  single-particle Mie cross section for scattering, meters<sup>2</sup>

 $\tau_{m}(x)$  angular dependence of Mie intensity function,  $x\Pi_{m}(x)$  -  $(1 - x^{2})\Pi_{m}'(x)$ 

$$\Phi(\alpha_1,\alpha_2,\eta,\theta,\nu) \qquad \text{integrated Mie intensity function,} \quad \int_{\alpha_1}^{\alpha_2} \frac{\mathbf{I}_1(\alpha,\eta,\theta) + \mathbf{I}_2(\alpha,\eta,\theta)}{\alpha^{\nu+1}} \, \mathrm{d}\alpha$$

#### Superscripts:

- \* complex conjugate
- ' first derivative

#### CALCULATION OF MIE INTENSITY FUNCTIONS AND EFFICIENCY FACTORS

#### Single-Particle Scattering

The scattered intensity at an angle  $\theta$  for natural light incident on a sphere of radius r is given by van de Hulst (ref. 8) and stated herein as

$$\mathbf{F} = \frac{\mathbf{I}_{1}(\alpha, \eta, \theta) + \mathbf{I}_{2}(\alpha, \eta, \theta)}{2k^{2}Z^{2}} \mathbf{F}_{0}$$

where

F<sub>O</sub> intensity of incident wave

 $I_1(\alpha,\eta,\theta)$  Mie intensity function for light with electric vector perpendicular to plane through direction of propagation of incident and scattered wave

 $I_2(\alpha,\eta,\theta)$  Mie intensity function for light with electric vector parallel to plane through direction of propagation of incident and scattered wave

k free-space propagation constant,  $\frac{2\Pi}{\lambda}$ 

 $\alpha$  particle-size parameter,  $\frac{2\Pi r}{\lambda}$ 

Z distance from scatterer to observer

complex index of refraction

 $\theta$  scattering angle measured from forward direction

For incident light polarized perpendicular to the scattering plane, the scattered intensity is given by

$$F = \frac{I_1(\alpha, \eta, \theta)}{k^2 Z^2} F_0$$

For incident light polarized parallel to the scattering plane

$$\mathbf{F} = \frac{\mathbf{I_2}(\alpha, \eta, \theta)}{\mathbf{k^2 Z^2}} \, \mathbf{F_0}$$

The scattered intensity functions are given by

$$I_{1}(\alpha,\eta,\theta) = |S_{1}(\alpha,\eta,\theta)|^{2} = S_{1}^{*}(\alpha,\eta,\theta)S_{1}(\alpha,\eta,\theta)$$

and

η

$$\mathbf{I_2}(\alpha,\eta,\theta) = \left|\mathbf{S_2}(\alpha,\eta,\theta)\right|^2 = \mathbf{S_2}^*(\alpha,\eta,\theta)\mathbf{S_2}(\alpha,\eta,\theta)$$

where  $S_1(\alpha,\eta,\theta)$  and  $S_2(\alpha,\eta,\theta)$  are given from Mie theory (ref. 8) as

$$S_{1}(\alpha,\eta,\theta) = \sum_{m=1}^{\infty} \frac{2m+1}{m(m+1)} \left[ \bar{a}_{m}(\alpha,\eta) \Pi_{m}(x) + b_{m}(\alpha,\eta) \tau_{m}(x) \right]$$

$$S_{2}(\alpha,\eta,\theta) = \sum_{m=1}^{\infty} \frac{2m+1}{m(m+1)} \left[ b_{m}(\alpha,\eta) \Pi_{m}(x) + a_{m}(\alpha,\eta) \tau_{m}(x) \right]$$

where  $a_m(\alpha,\eta)$  and  $b_m(\alpha,\eta)$  are the complex Mie scattering coefficients and  $x=\cos\theta$ . The Mie scattering coefficients are given in reference 6 in terms of half-order Bessel functions  $J_{m-\frac{1}{2}}$  as

$$\mathbf{a}_{\mathbf{m}}(\alpha,\eta) = \frac{\left(\frac{\mathbf{A}_{\mathbf{m}}}{\eta} + \frac{\mathbf{m}}{\alpha}\right) \mathbf{J}_{\mathbf{m} + \frac{1}{2}}(\alpha) - \mathbf{J}_{\mathbf{m} - \frac{1}{2}}(\alpha)}{\left(\frac{\mathbf{A}_{\mathbf{m}}}{\eta} + \frac{\mathbf{m}}{\alpha}\right) \left[\mathbf{J}_{\mathbf{m} + \frac{1}{2}}(\alpha) + \mathbf{i}(-1)^{\mathbf{m}} \mathbf{J}_{-\mathbf{m} - \frac{1}{2}}(\alpha)\right] - \mathbf{J}_{\mathbf{m} - \frac{1}{2}}(\alpha) + \mathbf{i}(-1)^{\mathbf{m}} \mathbf{J}_{-\mathbf{m} + \frac{1}{2}}(\alpha)}$$

where

$$A_{\rm m}(\eta\alpha) = -\frac{\rm m}{\eta\alpha} + \frac{J_{\rm m-\frac{1}{2}}(\eta\alpha)}{J_{\rm m+\frac{1}{2}}(\eta\alpha)}$$

and  $b_m(\alpha,\eta)$  can be found by substituting  $\eta A_m$  for  $\frac{A_m}{\eta}$  in the equation for  $a_m(\alpha,\eta)$ . The angular dependence of the intensity function is given by

$$\Pi_{m}(x) = \frac{dP_{m}(x)}{dx}$$

$$\tau_{\rm m}({\bf x}) = {\bf x} \Pi_{\rm m}({\bf x}) - (1 - {\bf x}^2) \Pi_{\rm m}'({\bf x})$$

and

$$\Pi'_{m}(x) = \frac{d^{2}P_{m}(x)}{dx^{2}}$$

where  $P_m(x)$  is the Legendre polynomial of degree m. For backscatter ( $\theta = 180^{\circ}$ )

$$\Pi_{m}(x) = -\tau_{m}(x) = (-1)^{m+1} \frac{m(m+1)}{2}$$

Therefore

$$S_1(\alpha, \eta, 180^{\circ}) = -S_2(\alpha, \eta, 180^{\circ}) = \sum_{m=1}^{\infty} (-1)^{m+1} \left( m + \frac{1}{2} \right) \left[ \overline{a}_m(\alpha, \eta) - b_m(\alpha, \eta) \right]$$

and

$$I_1(\alpha, \eta, 180^{\circ}) = I_2(\alpha, \eta, 180^{\circ})$$

The single-particle Mie cross sections are given as

$$\sigma_{\rm E}(\alpha,\eta) = \frac{2\Pi r^2}{\alpha^2} \sum_{\rm m=1}^{\infty} (2m+1) {\rm Re} \left[ \bar{a}_{\rm m}(\alpha,\eta) + b_{\rm m}(\alpha,\eta) \right]$$

$$\sigma_{S}(\alpha,\eta) = \frac{2\Pi r^{2}}{\alpha^{2}} \sum_{m=1}^{\infty} (2m+1) \left( \left| a_{m} \right|^{2} + \left| b_{m} \right|^{2} \right)$$

and

$$\sigma_{\mathbf{A}}(\alpha,\eta) = \sigma_{\mathbf{E}}(\alpha,\eta) - \sigma_{\mathbf{S}}(\alpha,\eta)$$

where the subscripts A, E, and S represent absorption, extinction, and scattering, respectively, and Re refers to the real part of the quantity in brackets. For a real index of refraction  $\sigma_A = 0$  and, therefore,  $\sigma_E = \sigma_S$ . The dimensionless Mie scattering coefficient (efficiency factor for scattering) is given by

$$Q_{S}(\alpha,\eta) = \frac{\sigma_{S}(\alpha,\eta)}{\Pi r^{2}}$$

Scattering by a Polydisperse Collection of Spherical Particles

For a continuous size distribution of particles the scattered intensity at an angle  $\theta$  is given by

$$F = F_0 \Delta V \int_{\mathbf{r}_1}^{\mathbf{r}_2} \frac{I_1(\alpha, \eta, \theta) + I_2(\alpha, \eta, \theta)}{2k^2 Z^2} dn(\mathbf{r})$$
 (1)

where

ΔV scattering volume

dn(r) number of particles with radii between r and r + dr per unit volume

Junge (ref. 7) has found that the size distribution of collected atmospheric aerosols can be represented by the power law

$$dn(r) = cr^{-(\nu+1)}dr$$
 (2)

where the exponent  $\nu$  ranges from 2.5 to 4.0 and c is dependent on the total number of particles per unit volume N. The parameter c can be found from

$$N = \int_{\mathbf{r}_1}^{\mathbf{r}_2} d\mathbf{n}(\mathbf{r}) \tag{3}$$

Introduction of the Junge size distribution and size parameter  $\alpha$  into equation (1) yields

$$F = \frac{F_0 \Delta Vc}{2Z^2} \left( \frac{2\Pi}{\lambda} \right)^{\nu-2} \Phi(\alpha_1, \alpha_2, \eta, \theta, \nu)$$
 (4)

where

$$\Phi(\alpha_1, \alpha_2, \eta, \theta, \nu) = \int_{\alpha_1}^{\alpha_2} \frac{\mathbf{I}_1(\alpha, \eta, \theta) + \mathbf{I}_2(\alpha, \eta, \theta)}{\alpha^{\nu+1}} d\alpha$$

Equation (4) is usually written

$$F = \frac{F_0 \Delta V}{Z^2} f(\alpha_1, \alpha_2, \eta, \theta, \nu)$$
 (5)

where  $f(\alpha_1, \alpha_2, \eta, \theta, \nu)$  is the Mie scattering function and represents the amount of energy scattered out of the incident beam per unit path length per unit solid angle in the direction defined by  $\theta$ .

The scattering coefficient  $\beta(\alpha_1,\alpha_2,\eta,\nu)$  represents the amount of energy removed from the incident beam per unit path length in all directions and is found by integrating the scattering function over a solid angle of  $4\Pi$  steradians. Then  $\beta$  can be written in a form similar to equation (5) as

$$\beta(\alpha_1, \alpha_2, \eta, \nu) = c \prod \left(\frac{2 \prod}{\lambda}\right)^{\nu - 2} K(\alpha_1, \alpha_2, \eta, \nu)$$
 (6)

where

$$K(\alpha_1, \alpha_2, \eta, \nu) = \int_{\alpha_1}^{\alpha_2} \frac{Q_S(\alpha, \eta)}{\alpha^{\nu - 1}} d\alpha$$
 (7)

#### TABLE CONTENT AND NOTATION

The calculations contained in tables I and II were made for a scattering angle of  $\theta=180^{\circ}$  (backscatter) and for a particle refractive index of 1.5. This value of refractive index is consistent with the composition measurements of Junge (ref. 9), the twilight scattering measurements of Volz and Goody (ref. 10), and the conclusions reached by Bullrich (ref. 5) in his review of composition data.

Tabulated in table I are values of the Mie intensity function  $I(\alpha,1.5,180^{\rm O})$  and the efficiency factor  $Q_{\rm S}(\alpha,1.5)$  for size parameters from 0.01 to 1.99 in increments of 0.01 and from 2.00 to 181.90 in increments of 0.10. This range of size parameters includes all aerosol particles of interest in atmospheric light scattering experiments. The molecular clusters produce comparatively little scattering or extinction, whereas the larger dust particles settle out rapidly and are, therefore, localized in the vicinity of the source. The notation 8.6501713D-14 represents 8.6501713  $\times$  10<sup>-14</sup>.

Values of the functions  $\Phi(\alpha_1,\alpha_2,1.5,180^{\rm O},\nu)$  and  $K(\alpha_1,\alpha_2,1.5,\nu)$  are given in table II for the laser wavelengths: 0.3472  $\mu{\rm m}$  (second harmonic of ruby), 0.5300  $\mu{\rm m}$  (second harmonic of neodymium), 0.6943  $\mu{\rm m}$  (ruby fundamental), and 1.0600  $\mu{\rm m}$  (neodymium fundamental). The computations were performed for size-distribution parameters  $\nu=2.50,\,3.00,\,3.50,\,$  and 4.00; particle radii limits of approximately  $r_1=0.04\,\mu{\rm m},\,$ 

 ${\bf r_2}=3.00~\mu{\rm m}$ , and  $10.00~\mu{\rm m}$ ;  ${\bf r_1}=0.08~\mu{\rm m}$ ,  ${\bf r_2}=3.00~\mu{\rm m}$  and  $10.00~\mu{\rm m}$ ; and  $\Delta\alpha=0.10$ . The size-distribution parameters were chosen on the basis of multiple wavelength extinction measurements made by several experimenters as reviewed by Junge (ref. 11). The size limits  ${\bf r_1}=0.04~\mu{\rm m}$  and  ${\bf r_2}=10.00~\mu{\rm m}$  were chosen as previously stated since particles between molecular clusters and  $0.04~\mu{\rm m}$  do not play an important role in light scattering because of their relatively low concentration and small size, whereas those above  $10.00-\mu{\rm m}$  radius are reduced in number density by direct fallout and washout through cloud formation and precipitation. The effects on the calculations of radii limits between these are also investigated.

The Mie coefficients  $a_m(\alpha,\eta)$  and  $b_m(\alpha,\eta)$  decrease rapidly to zero as soon as  $m+\frac{1}{2}$  exceeds  $\alpha$  as was shown by Debye (ref. 12) by using derived asymptotic approximations. This argument is consistent with the localization principle (ref. 8) where these values of  $\alpha$  correspond to impact parameters greater than the particle radius, that is, rays that do not strike the particle. Bryant and Cox (ref. 13) plotted the calculated intensity functions as a function of the number of terms included in the Mie expansion for  $\alpha=200.4$  and 500.235 and showed also that the series converges shortly after the number of terms included in the series exceeds the size parameter.

In the present paper, the calculations of the Mie coefficients  $a_m(\alpha,\eta)$  and  $b_m(\alpha,\eta)$ were terminated when their real and imaginary parts were less than 10<sup>-8</sup>. The number of terms included in the series increases with  $\alpha$ ; approaching  $m = 1.2\alpha + 9$  near  $\alpha = 30$ , m = 1.2 $\alpha$  at  $\alpha = 100$ , and m = 1.15 $\alpha$  at  $\alpha = 180$ . The effect of including more terms in the series was checked by computing I(50,1.5,180°) with the preceding termination criteria and with the addition of 100 more terms included in the series. The results showed no change in I(50,1.5,180°) to eight decimal places. The termination criteria used in this paper are similar to those used by Deirmendjian, Clasen, and Viezee (ref. 6) and Penndorf and Goldberg (ref. 4). These authors stated that their results are accurate to at least five decimal places; our values of  $I(\alpha,\eta,\theta)$  and  $Q_S(\alpha,\eta)$  checked exactly when an identical index of refraction was used. The functions  $\Phi(\alpha_1, \alpha_2, \eta, \theta, \nu)$ and  $\mathrm{K}(\alpha_1, \alpha_2, \eta, \nu)$  were computed by using the trapezoidal rule of integration. All computations were performed by an IBM 360 Model 50 computer using FORTRAN IV language. This computer, using double-precision arithmetic, carries about 17 significant figures. All quantities were computed with this precision to minimize errors from loss of significant figures due to subtraction in the recursion relations.

#### CONCLUDING REMARKS

The calculations presented in this paper extend theoretical calculations of the scattering properties of spherical particles to laser wavelengths and parameters characteristic of the atmospheric aerosols. The single-particle backscatter intensity functions

and efficiency factors for spherical particles of refractive index 1.5 have been calculated. The single-particle results have been integrated over Junge size distributions at the four laser wavelengths:  $1.0600~\mu\text{m}$ ,  $0.6943~\mu\text{m}$ ,  $0.5300~\mu\text{m}$ , and  $0.3472~\mu\text{m}$ .

Langley Research Center,

National Aeronautics and Space Administration, Langley Station, Hampton, Va., January 8, 1969, 125-24-01-01-23.

#### REFERENCES

- 1. Rayleigh, (Lord): On the Light From the Sky, Its Polarization and Colour. Scientific Papers, Vol. I, Cambridge Univ. Press, 1899, pp. 87-103.
- 2. Mie, G.: Optics of Turbid Media. Ann. Phys., vol. 25, no. 3, 1908, pp. 377-445.
- 3. Gumprecht, R. O.; and Sliepcevich, C. M.: Tables of Light-Scattering Functions for Spherical Particles. Eng. Res. Inst., Univ. of Mich., 1951.
- Penndorf, Rudolf; and Goldberg, Bernice: New Tables of Mie Scattering Functions for Spherical Particles. Pts. 1 to 6. AFCRC-TR-56-204, U.S. Air Force, Mar. 1956. (Available from DDC as AD-98767 to AD-98772.)
- 5. Bullrich, Kurt: Scattered Radiation in the Atmosphere and the Natural Aerosol. Vol. 10 of Advances in Geophysics, H. E. Landsberg and J. Van Mieghem, eds., Academic Press, 1964, pp. 99-260.
- 6. Deirmendjian, D.; Clasen, R.; and Viezee, W.: Mie Scattering With Complex Index of Refraction. J. Opt. Soc. Amer., vol. 51, no. 6, June 1961, pp. 620-633.
- 7. Junge, Chr.: Gesetzmässigkeiten in der Grössenverteilung atmosphärischer Aerosole über dem Kontinent. Ber. Deut. Wetterd. U.S. Zone (Bad Kissingen), No. 35, 1952, pp. 261-277.
- 8. Van de Hulst, H. C.: Light Scattering by Small Particles. John Wiley & Sons, Inc., 1957.
- 9. Junge, Christian: Die Konstitution des Atmosphärischen Aerosols. Ann. Meteorol., 1952.
- 10. Volz, F. E.; and Goody, R. M.: The Intensity of the Twilight and Upper Atmospheric Dust. J. Atmos. Sci., vol. 19, Sept. 1962, pp. 385-406.
- 11. Junge, Christian: The Size Distribution and Aging of Natural Aerosols as Determined From Electrical and Optical Data on the Atmosphere. J. Meteorol., vol. 12, no. 1, Feb. 1955, pp. 13-25.
- 12. Debye, P.: Pressure of Light on Spheres of Specified Material. Ann. Phys., vol. 30, no. 1, 1909, pp. 57-136.
- 13. Bryant, H. C.; and Cox, A. J.: Mie Theory and the Glory. J. Opt. Soc. Amer., vol. 56, no. 11, Nov. 1966, pp. 1529-1532.

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS

α	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
0.01	2	2.3068213D-09	8.6501713D-14
0.02	2	3.6909919D-08	5.5354421D-12
0.03	2	1.8686306D-07	6.3039485D-11
0.04	2	5.9060862D-07	3.5409751D-10
0.05	2	1-4420066D-06	1.3502859D-09
0.06	2	2.9903750D-06	4.0301478D-09
0.07	3	5.5405408D-06	1.0157209D-08
0.08	3	9.4529010D-06	2.2618483D-08
0.09	3	1.5143497D-05	4.5822705D-08
0.10	3	2.3084092D-05	8.6157356D-08
0.11	3	3.3802263D-05	1.5250344D-07
0.12	3	4.7881493D-05	2.5680676D-07
0.13	3	6.5961286D-05	4.1470445D-07
0.14	3	8.8737262D-05	6.4620509D-07
0.15	3	1.1696128D-04	9.7642089D-07
0.16	3	1.51441550-04	1.4363502D-06
0.17	3	1.9304276D-04	2.0637081D-06
0.18	3	2.4268618D-04	2.9038033D-06
0.19	3	3.0134979D-04	4.0104589D-06
0.20	3	3.7006836D-04	5.4469738D-06
0.21	3	4.4993366D-04	7.2871260D-06
0.22	3	5.4209442D-04	9.6162070D-06
0.23	4	6.4775652D-04	1.2532093D-05
0.24	4	7.6818289D-04	1.6146344D-05
0.25	4	9.0469397D-04	2.0585336D-05
0.26	4	1.05866710-03	2.5991400D-05
0.27	4	1.23153750-03	3.2524005D-05
0.28	4	1.4247969D-03	4.0360929D-05
0.29	4	1.6399950D-03	4.9699472D-05
0.30	4	1.8787383D-03	6.0757637D-05
0.31	4	2.1426904D-03	7.3775359D-05
0.32	4	2.4335719D-03	8.9015692D-05
0.33	4	2.75316020-03	1.0676602D-04
0.34	4	3.1032890D-03	1.27339220-04
0.35	4	3.4858483D-03	1.5107485D-04
0.36	4	3.9027839D-03	1.7834028D-04
0.37	4	4.3560970D-03	2.0953180D-04
0.38	4	4.8478431D-03	2.4507567D-04
0.39	4	5.3801335D-03	2.8542927D-04
0.40	4	5.95513130-03	3.3108188D-04
0.41	4	6.5750544D-03	3.8255584D-04
0.42	4	7.2421705D-03	4.4040714D-04
0.43	4	7.9588006D-03	5.05226520-04
0.44	4	8.7273139D-03	5.7763988D-04
0.45	4	9.5501289D-03	6.5830905D-04
0.46	4	1.04297130-02	7.4793242D-04
0.47	4	1.1368576D-02	8.4724496D-04
0.48	4	1.23692770-02	9.5701907D-04
0.49	4	1.3434415D-02	1.0780642D-03
0.50	4	1.4566628D-02	1.21122740-03

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(lpha,\ 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
0.51 · 0.52	5 5	1.5768596D-02 1.7043033D-02	1.3573925D-03 1.5174807D-03
0.53	5	1.8392690D-02	1.6924495D-03
0.54	5	1.9820346D-02	1.8832923D-03
0.55	5	2.1328809D-02	2.09103750-03
0.56	5	2.29209150-02	2.3167475D-03
0.57	5	2.4599520D-02	2.56151770-03
0.58	5	2.6367500D-02	2.8264748D-03
0.59	5	2.82277450-02	3.1127748D-03
0.60	5	3.0183155D-02	3.4216017D-03
0.61 0.62	5 5	3.2236641D-02 3.4391113D-02	3.75416480-03
0.63	5 5	3.6649481D-02	4.1116967D-03 4.4954498D-03
0.64	5	3.9014647D-02	4.90669390-03
0.65	5	4.14895000-02	5.34671250-03
0.66	5	4.4076915D-02	5.8167991D-03
0.67	5	4.6779740D-02	6.3182534D-03
0.68	5	4.9600797D-02	6.8523766D-03
0.69	5	5.2542870D-02	7.4204671D-03
0.70	5	5.5608706D-02	8.0238157D-03
0.71	5	5.8801000D-02	8.6636987D-03
0.72	5	6.2122396D-02	9.34137430-03
0.73	5 5	6.5575473D-02	1.0058075D-02
0.74 0.75	5 5	6•9162744D-02 7•2886644D-02	1.0815002D-02 1.1613316D-02
0.76	5	7.6749529D-02	1.1013310D-02 1.2454136D-02
0.77	5	8.0753658D-02	1.3338523D-02
0.78	5	8.4901200D-02	1.42674810-02
0.79	5	8.9194209D-02	1.5241943D-02
0.80	5	9.3634632D-02	1.6262763D-02
0.81	5	9.8224290D-02	1.7330711D-02
0.82	5	1.0296488D-01	1.8446459D-02
0.83	5	1.0785797D-01	1.9610578D-02
0.84	5	1.1290497D-01	2.0823523D-02
0.85	5 5	1.1810714D-01 1.2346561D-01	2.2085619D-02 2.3397068D-02
0.86 0.87	5	1.2898130D-01	2.4757919D-02
0.88	6	1.3465502D-01	2.6168076D-02
0.89	6	1.4048734D-01	2.7627269D-02
0.90	6	1.4647871D-01	2.9135064D-02
0.91	6	1.5262935D-01	3.0690837D-02
0.92	6	1.5893932D-01	3.2293773D-02
0.93	6	1.6540849D-01	3.3942859D-02
0.94	6	1.72036500-01	3.5636859D-02
0.95	6	1.7882284D-01	3.7374330D-02
0.96	6	1.8576680D-01	3.91535920-02
0.97	6	1.9286747D-01	4.0972735D-02
0.98 0.99	6 6	2.0012370D-01 2.0753424D-01	4.2829589D-02 4.4721759D-02
1.00	6	2.07534240-01 2.1509759D-01	4.6646578D-02
1.00	U	2417071770-01	4.00402100-02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

α	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
1.01	6	2.2281207D-01	4.86011120-02
1.02	6	2.3067588D-01	5.0582188D-02
1.03	6	2.3868698D-01	5.25863360-02
1.04	6	2.4684325D-01	5.4609840D-02
1.05	6	2.5514238D-01	5.6648710D-02
1.06	6	2.6358195D-01	5.8698681D-02
1.07	6	2.72159390-01	6.0755224D-02
1.08 1.09	6	2.8087208D-01 2.8971726D-01	6.2813562D-02 6.4868638D-02
1.10	6 6	2.9869216D-01	6.6915169D-02
1.11	6	3.0779392D-01	6.8947615D-02
1.12	6	3.1701970D-01	7.0960226D-02
1.13	6	3.2636662D-01	7.2947014D-02
1.14	6	3.3583182D-01	7.4901798D-02
1.15	6	3.4541255D-01	7.6818218D-02
1.16	6	3.5510611D-01	7.8689741D-02
1.17	6	3.6490987D-01	8.05096830-02
1.18	6	3.7482136D-01	8.2271233D-02
1.19	6	3.8483832D-01	8.39674980-02
1.20	6	3.9495866D-01	8.5591503D-02
1.21	6	4.0518049D-01	8.7136218D-02
1.22	6	4.1550220D-01	8.8594608D-02
1.23	6	4.2592253D-01	8.9959668D-02
1.24	6	4.36440450-01	9.1224422D-02
1.25	6	4.4705542D-01	9.2382034D-02
1.26	6	4.5776719D-01	9.3425744D-02
1.27	6	4.6857595D-01	9.4348994D-02
1.28	6	4.7948242D-01	9.5145449D-02
1.29	6	4.9048773D-01	9.5809017D-02
1.30	6	5.01593560-01	9.6333903D-02
1.31	6	5.12802190-01	9.67147190-02
1.32	7	5.2411636D-01	9.69464210-02
1.33	7	5.3553950D-01	9.7024482D-02
1.34	7	5.4707561D-01	9.69448320-02
1.35	7	5.5872937D-01	9.6704009D-02
1.36	7	5.70506020-01	9.6299151D-02
1.37	7	5.8241159D-01	9.5728065D-02
1.38	7	5.9445271D-01	9.4989353D-02
1.39	7	6.0663665D-01	9.4082339D-02
1.40	7	6.1897141D-01	9.3007235D-02
1.41	<i>(</i>	6.3146563D-01	9.17651790-02
1.42	7	6.4412865D-01	9.0358255D-02
1.43	7	6.5697033D-01 6.7000127D-01	8.8789597D-02 8.7063418D-02
1.44	7	6.8323255D-01	
1.45 1.46	7 7	6.96675820-01	8.5185090D-02 8.3161165D-02
1.47	7	7.1034325D-01	8.0999476D-02
1.48	7	7.10343250-01 7.24247390-01	7.8709133D-02
1.49	7	7.24247350-01 7.3840115D-01	7.6300600D-02
1.50	7	7.5281777D-01	7.3785750D-02
1.00	r	1. 72011110-01	1. 31031300-02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{\rm S}(lpha,~1.5)$	$I(\alpha, 1.5, 180^{\circ})$
1.51	7	7.6751064D-01	7.1177868D-02
1.52	7	7.8249333D-01	6.8491695D-02
1.53	7	7.9777931D-01	6.5743446D-02
1.54	7	8.1338202D-01	6.2950860D-02
1.55	7	8.29314580-01	6.01331490-02
1.56	7	8.4558978D-01	5.7311016D-02
1.57	7	8.6221983D-01	5.4506656D-02
1.58 1.59	7 7	8.7921628D-01 8.9658980D-01	5.1743703D-02 4.9047201D-02
1.60	7	9.1435005D-01	4.6443493D-02
1.61	7	9.3250542D-01	4.3960236D-02
1.62	7	9.5106297D-01	4.1626217D-02
1.63	7	9.7002809D-01	3.9471271D-02
1.64	7	9.8940440D-01	3.75261370-02
1.65	7	1.0091936D 00	3.58223280-02
1.66	7	1.0293951D 00	3.4391914D-02
1.67	7	1.0500063D 00	3.32673490-02
1.68	7	1.0710216D 00	3.2481234D-02
1.69	7	1.0924330D 00	3.2066108D-02
1.70	7	1.1142300D 00	3.2054158D-02
1.71	7	1.1363987D 00	3.2476962D-02
1.72	7	1.1589226D 00	3.33652170-02
1.73	7	1.1817820D 00	3.4748437D-02
1.74	7	1.2049544D 00	3.6654634D-02
1.75	7	1.2284139D 00	3.9110049D-02
1.76	7	1.2521322D 00	4.2138822D-02
1.77	7	1.2760778D 00	4.5762740D-02
1.78	7	1.3002167D 00	5.00C0912D-02
1.79	7	1.3245124D 00	5.48695330-02
1.80	7	1.3489260D 00	6.0381657D-02
1.81	7	1.37341710 00	6.6547014D-02
1.82	8	1.3979434D 00	7.3371742D-02
1.83	8	1.4224614D 00	8.0858404D-02
1.84	8	1.4469268D 00	8 • 9005787D-02
1.85	8	1.4712949D 00	9.7808850D-02
1.86	8	1.4955210D 00	1.0725882D-01
1.87 1.88	8	1.5195607D 00 1.5433710D 00	1.1734318D-01
1.89	8 8	1.5669096D 00	1.2804577D-01 1.3934691D-01
1.09	8	1.5901366D 00	1.5122367D-01
1.91	8	1.6130138D 00	1.6364993D-01
1.92	8	1.6355060D 00	1.7659684D-01
1.92	8	1.6575807D 00	1.90032900-01
1.94	8	1.6792086D 00	2.0392447D-01
1.95	8	1.7003639D 00	2.1823588D-01
1.96	8	1.7210247D 00	2.3292990D-01
1.97	8	1.7411728D 00	2.4796806D-01
1.98	8	1.7607938D 00	2.6331090D-01
1.99	8	1.7798777D 00	2.7891835D-01
	<b>*</b>		

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

$\alpha$	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
2.00	8	1.7984181D	00 2.9474993D-01
2.10	8		00 4.5670752D-01
2.20	8		00 6.0066344D-01
2.30	8	-	00 6.9661882D-01
2.40	9		00 7.1720050D-01
2.50	9		00 6.4653165D-01
2.60	9		00 5.1468399D-01
2.70	9 9		00 4.2340075D-01
2.80 2.90	9		00 4.9196896D-01 00 7.6350889D-01
3.00	10		00 1.2024008D 00
3.10	10		00 1.7489185D 00
3.20	10		00 2.3268428D 00
3.30	10		00 2.7926818D 00
3.40	10		00 2.9123061D 00
3.50	10	4.0785497D	00 2.5534424D 00
3.60	11	4.184866 GD	00 1.9710987D 00
3.70	11	4.1841505D	00 1.6145086D 00
3.80	11	4.1263581D	00 1.7487198D 00
3.90	11		00 2.4757476D 00
4.00	11		00 3.8763294D 00
4.10	11		00 5.9065162D 00
4.20	12		00 7.9164071D 00
4.30	12		00 8.5783081D 00
4.40	12		7.5030895D 00
4.50 4.60	12 12		00 5.8236772D 00
4.70	12		00 4.6135171D 00 00 4.3852420D 00
4.80	12		00 5.5818766D 00
4.90	13		00 8.8263207D 00
5.00	13		00 1.3774257D 01
5.10	13		00 1.72978760 01
5.20	13		00 1.7205958D 01
5.30	13		00 1.51281970 01
5.40	13	3.3567136D	00 1.3078475D 01
5.50	13	3.1815510D	00 1.2142479D 01
5.60	14		00 1.3090935D 01
5.70	14		00 1.6762585D 01
5.80	14		00 2.2258471D 01
5.90	14		00 2.5349432D 01
6.00	14		00 2.5118507D 01
6.10	14		00 2.3848811D 01
6.20	14		00 2.3457084D 01
6.30 6.40	15 15		00 2.5613632D 01 00 3.2132217D 01
6.40 6.50	15 15		00 3.2132217D 01 00 4.2704932D 01
6.60	15		00 4.5817359D 01
6.70	15		00 3.7075928D 01
6.80	15		00 2.9067262D 01
6.90	15		00 2.5120176D 01

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

α	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
7.00	16	1.8482740D 00	
7.10	16	1.7455593D 00	
7•20 7•30	16 16	1.7719754D 00 1.9721784D 00	
7.40	16	2.0009740D 00	
7.50	16	1.8848487D 00	
7.60	16	1.8318063D 00	
7.70	17	1.7641557D 00	
7.80	17	1.6723328D 00	
7.90	17	1.63667410 00	3.3505333D 01
8.00	17	1.7777188D 00	7.4093853D 01
8.10	17	2.0282704D 00	
8.20	17	1.9518844D 00	
8.30	17	1.9488144D 00	
8.40	17	2.0126781D 00	
8.50	18	1.9849031D 00 1.9262683D 00	
8•60 8•70	18 18	1.9568639D 00	
8.80	18	2.2263834D 00	
8.90	18	2.3239969D 00	
9.00	18	2.2384247D 00	
9.10	18	2.3708447D 00	
9.20	19	2.4752694D 00	
9.30	19	2.42307070 00	
9.40	19	2.3816682D 00	5.3508158D 01
9.50	19	2.4791278D 00	1.1102510D 02
9.60	19	2.7985173D 00	2.1456064D 02
9.70	19	2.6198254D 00	1.3431642D 02
9.80	19	2.6454223D 00	1.0977280D 02
9.90	19	2.8566738D 00	9.06593010 01
10.00	20	2.8819989D 00	4.23765910 01
10.10	20	2.7829316D 00	3.2191590D 01
10.20	20 20	2.7574945D 00 2.9621212D 00	6.7552655D 01 2.1880930D 02
10.30 10.40	20 20	2.9679505D 00	2.1000730D 02 2.2397409D 02
10.50	20	2.8014075D 00	1.3921511D 02
10.60	20	2.9158530D 00	1.2594857D 02
10.70	21	3.1115544D 00	6.1581017D 01
10.80	21	2.9811551D 00	1.3248551D 01
10.90	21	2.8731979D 00	2.3505196D 01
11.00	21	2.8763188D 00	8.6074999D 01
11.10	21	3.14927560 00	3.0866753D 02
11.20	21	2.7988209D 00	1.5023295D 02
11.30	21	2.7509108D 00	1.5738020D 02
11.40	21	2.9338295D 00	1.6400937D 02
11.50	22	2.9538099D 00	3.0394429D 01
11.60	22	2.7596589D 00	2.1231571D 01
11.70	22	2.6751410D 00	5.4247463D 01
11.80	22	2.8112403D 00 2.6359504D 00	2.1885920D 02 1.1579257D 02
11.90	22	2.6359504D 00	1.13/723/U UZ

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS — Continued

		•			
	$\alpha$ No. of	terms $Q_{S}($	$\alpha$ , 1.5)	$I(\alpha, 1.5, 180^{\circ})$	
12.00	22	2.476	0009D 00	9.10128690	01
12.10	22	2.494	8784D 00	1.5285388D	02
12.20	. 22		5391D 00	1.3794737D	02
12.30	23	2.506		1.6209956D	01
12.40	23	2.379		4.6962349D	01
12.50	23	2.339		1.3390634D	02
12.60	23	2.458		2.0988003D	02
12.70	23	2.164		5.6320928D	01
12.80	23	2.110		7.6212953D	01
12.90 13.00	23		5492D 00	1.46991070	02
13.10	23 24	2.281		2.2667992D	01
13.10	24	2.108 2.046		1.2540805D 5.2925241D	01 01
13.30	24	2.276		4.1163795D	02
13.40	24		8992D 00	6.5575672D	01
13.50	24		7799D 00	7.5012136D	01
13.60	24	1.888		1.1595664D	02
13.70	24	2,207		9.4856101D	01
13.80	24		5161D 00	3.5482530D	00
13.90	25	1.941		1.7089495D	01
14.00	25	1.951	8203D 00	9.0498637D	01
14.10	25	1.902	1673D 00	5.3989727D	01
14.20	25	1.828	4735D 00	3.9677487D	01
14.30	25	1.827	9764D 00	8.0492169D	01
14.40	25	1.981	7065D 00	1.9290867D	02
14.50	25	2.020		1.0217179D	00
14.60	25	2.020		2.59 <b>73</b> 988D	01
14.70	26	2.036		4.7890621D	01
14.80	26	2.123		8.0104341D	01
14.90	26	1.989		4.8137920D	00
15.00 15.10	26		7069D 00	1.6358530D	01
15.20	26 26	2.034 2.295		6.8982463D 7.1771130D	01 01
15.30	26	2.213		1.4017561D	01
15.40	26	2.276		3.0028227D	01
15.50	2 <b>7</b>	2.528		3.9587128D	02
15.60	27	2.267		4.2658138D	00
15.70	27	2.254		9.6622777D	00
15.80	27	2.267		1.7343173D	01
15.90	27	2.484	9892D 00		02
16.00	27	2.419	9333D 00	7.6351396D-	-01
16.10	27		4128D 00	8.4364698D	00
16.20	27	2.564	5931D 00	3.2300731D	01
16.30	28	2.531		1.5790700D	01
16.40	28	2.502		5.5238316D	00
16.50	28	2.488		1.4962029D	01
16.60	28	2.512		4.7881423D	01
16.70	28	2.558		1.8240927D	01
16.80	28	2.634		3.8784183D	00
16.90	28	2.697	3474D 00	2.72558210	00

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{\mathbf{S}}(lpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
17.00	28	2.6761554D 00	5.6487674D 01
17.10 17.20	29	2.6221363D 00 2.5810703D 00	1.6150537D 01
17-30	29 29	2.5810703D 00 2.5536168D 00	4.8386316D 00 1.6740802D 01
17.40	29	2.6127521D 00	4.5894866D 01
17.50	29	2.5835174D 00	1.6087003D 01
17.60	29	2.6651561D 00	1.9705471D 01
17.70	29	2.6701940D 00	1.04119580 02
17.80	29	2.5812029D 00	3.3708406D 01
17.90	30	2.5163565D 00	2.4157580D 01
18.00	30	2.4603097D 00	9.6002179D 00
18.10	30	2.5649815D 00	2.9660774D 02
18.20	30	2.4032198D 00	1.8652894D 00
18.30	30	2.4588493D 00	5.1201138D 01
18.40	30	2.7142825D 00	7.2970980D 02
18.50	30	2.4217637D 00	6.3079326D 01
18.60	30	2.3470784D 00	2.99232870 01
18.70 18.80	31 31	2.2767283D 00 2.2246740D 00	1.6832877D 01 7.4800713D 00
18.90	31	2.2240740D 00 2.1770596D 00	1.5070942D 01
19.00	31	2.1818503D 00	8.3167344D 00
19.10	31	2.2687271D 00	1.2339735D 02
19.20	31	2.2298781D 00	2.2558695D 02
19.30	31	2.1602628D 00	1.4181312D 02
19.40	31	2.1025554D 00	5.6427725D 01
19.50	32	2.0409124D 00	1.3610624D 01
19.60	32	1.9971263D 00	1.4143375D 01
19.70	32	1.9757085D 00	3.9511742D-01
19.80	32	2.0333365D 00	4.4426881D 01
19.90	32	2.1017683D 00	2.4419215D 02
20.00	32	2.0358369D 00	2.99.61588D 02
20.10	32	2.0126850D 00	2.3375780D 02
20.20	32	1.9769231D 00	1.1596860D 02
20.30	32	1.9414721D 00	5.1086407D 01
20.40	33	1.9166621D 00	7.7784032D 00
20.50	33	1.9352735D 00 2.0574330D 00	3.9435196D 01 2.0708999D 02
20.60	33	2.0418474D 00	3.1472691D 02
20.70 20.80	33 33	2.0240858D 00	2.9989008D 02
20.90	33	2.0443000D 00	2.4928961D 02
21.00	33	2.0822506D 00	5.0042140D 02
21.10	33	2.0076423D 00	5.9572139D 01
21.20	34	2.0153951D 00	3.1724391D 01
21.30	34	2.0826497D 00	1.3505771D 02
21.40	34	2.1960166D 00	5.6071277D 02
21.50	34	2.1321410D 00	4.1517651D 02
21.60	34	2.1817171D 00	3.1664790D 02
21.70	34	2.2126234D 00	2.1105837D 02
21.80	34	2.1919999D 00	8.3135346D 01
21.90	34	2.1985925D 00	3.7421869D 01

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

	$\alpha$ N	o. of terms	$Q_{S}(\alpha, 1.5)$	:	$I(\alpha, 1.5, 180^{\circ})$	
22.00		35	2.2240742D	00	3.4624398D	01
22.10		35	2.3546212D	00	3.8928805D	02
22.20		35	2.3215699D	00	7.1075441D	02
22.30		35	2.3128969D	00	5.8799871D	02
22.40		35	2.3960827D	00	4.5489571D	02
22.50		35	2.3860640D	00	1.2788657D	02
22.60		35	2.3771025D	00	3.3418704D	01
22.70		35	2.3897706D	00	2.5035190D	01
22.80		35	2.4268306D	00	6.8105567D	01
22.90		36	2.5320294D	00	7.1872949D	02
23.00		36	2.4168632D	00	6.0788963D	02
23.10 23.20		36 36	2.4622583D 2.5184919D	00	7-4105920D	02 02
23.30		36 36	2.4711458D	00	4.8540986D 1.4733278D	02
23.40		36	2.4697959D	00	9.4460036D	01
23.50		36	2.46592210	00	6.0489961D	01
23.60		36	2.5596554D	00	5.0021665D	02
23.70		37	2.4630979D	00	5.5324700D	02
23.80		37	2.4165451D	00	4.8993211D	02
23.90		37	2.4974293D	00	7.0769992D	02
24.00		37	2.4648648D	00	3.4509011D	02
24.10		37	2.4223929D	00	1.5485012D	02
24.20		37	2.4111128D	00	1.2589484D	02
24.30		37	2.4045965D	00	1.6681253D	02
24.40		37	2.4586459D	00	1.1042652D	03
24.50		37	2.3079463D	00	5.0929157D	02
24.60		38	2.30754140	00	5.54366160	02
24.70		38	2.3880626D	00	5.6456637D	02
24.80		38	2.2908080D	00	1.2793948D	02
24.90		38 30	2.2730355D 2.2497516D	00	1.0995016D	02
25.00 25.10		38 38	2.3195856D	00 00	9.7565356D 6.4129925D	01 02
25.20		38	2.1704399D	00	7.15107510	02
25.30		38	2.1160770D	00	5.7896734D	02
25.40		39	2.1757743D	00	9.7986887D	02
25.50		39	2.1594692D	00	2.6307048D	02
25.60		39	2.1148642D	00	1.0422714D	02
25.70		39	2.1103347D	00	9.8209027D	01
25.80		39	2.0911060D	00	8.4224329D	01
25.90		39	2.0897804D	00	8.5839038D	02
26.00		39	1.9860693D	00	4.1076077D	02
26.10		39		00	6.5722298D	02
26.20		39		00	1.1643440D	03
26.30		40	2.0086668D	00	2.1514104D	02
26.40		40	2.0299230D	00	2.6356543D	02
26.50		40	2.0270235D	00	1.8736776D	02
26.60		40	2.1395103D	00	1.1766815D	03
26.70		40	1.9591885D	00	3.1008075D	02
26.80		40	1.9346953D	00	3.0183225D	02
26.90		40	1.9910092D	00	8.0957068D	02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
27.00	40	2.0200887D 00	3.2909987D 02
27-10	41	2.0283713D 00	2.6796376D 02
27.20	41	2.0713252D 00	3.7816285D 02
27.30	41	2.0769970D 00	2.7238391D 02
27.40	41	2.0550421D 00	9.5838437D 02
27.50	41	2.0140175D 00	3.5752004D 02
27.60	41	2.0233736D 00	4.5174189D 02
27.70	41	2.1914564D 00	1.0423828D 03
27.80	41	2.1022469D 00	1.0113998D 02
27.90	41	2.17572940 00	2.8992272D 02
28.00	42	2.2047918D 00	2.9300442D 02
28.10	42	2.2893073D 00	1.8024423D 03
28.20	42	2.1676808D 00	4.6998206D 02
28.30	42	2.1602743D 00	4.5115228D 02
28.40	42	2.2066582D 00	9.7440774D 02
28.50	42	2.2341978D 00	1.3080595D 02
28.60 28.70	42 42	2.2799449D 00 2.3475487D 00	3.2351660D 02
28.80	43		3.8569734D 02
28.90	43		2.2539185D 02
29.00	43	2.3232692D 00 2.2992901D 00	3.9775079D 02
29.10	43	2.2992901D 00 2.2995169D 00	2.7857540D 02
29.20	43	2.4393734D 00	4.3848128D 02 1.2002337D 03
29.30	43	2.43937340 00 2.3459240D 00	3.1616747D 02
29.40	43	2.4208590D 00	7.3103540D 02
29.50	43	2.4389917D 00	5.2928550D 02
29.60	43	2.4176978D 00	6.6141415D 02
29.70	44	2.3738031D 00	2.1045328D 02
29.80	44	2.3480683D 00	1.9079279D 02
29.90	44	2.3663346D 00	6.6274298D 02
30.00	44	2.3527567D 00	9.7042427D 01
30.10	44	2.3853310D 00	4.8134437D 02
30.20	44	2.4362552D 00	9.2703682D 02
30.30	44	2.5435974D 00	3.2562264D 03
30.40	44	2.3574465D 00	4.6045835D 02
30.50	45	2.3124137D 00	2.7089260D 02
30.60	45	2.2857210D 00	3.6912558D 02
30.70	45	2.3072856D 00	8.5464620D 01
30.80	45	2.2742038D 00	2.2141595D 02
30.90	45	2.3280059D 00	7.0473587D 02
31.00	45	2.3204026D 00	6.6682217D 02
31.10	45	2.2668165D 00	7.1004665D 02
31.20	45	2.2180777D 00	3.4466541D 02
31.30	45	2.1712389D 00	3.2982319D 02
31.40	46	2.1928290D 00	1.3420414D 03
31.50	46	2.1382953D 00	2.5705083D 02
31.60	46	2.1552563D 00	6.8426691D 02
31.70	46	2.2047115D 00	1.0583146D 03
31.80	46	2.15049420 00	8.5128583D 02
31.90	46	2.1141818D 00	3.2095286D 02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

	$\alpha$ No. (	of terms	$Q_{S}(\alpha, 1.5)$	I(a	, 1.5, 180°)	
32.00		6 2	.0670671D	00	1.4840836D	02
32.10			.0350818D	00	3.1189897D	02
32.20			.0269591D	00	1.2924745D	02
32.30			•0243996D	00	4.5625807D	02
32.40			.0815736D	00	1.3863375D	03
32.50			.1242176D	00	3.2693324D	03
32.60			-0402891D	00	5.8370828D	02
32.70 32.80			•9867122D	00	1.3564860D	02
32.90			•0138867D	00	8.8448330D 1.3727056D	01 02
33.00			•9848456D	00	1.5062823D	02
33.10			.0089074D	00	5.6453733D	02
33.20			.0865656D	00	1.73794610	03
33.30			.0316565D	00	1.2225815D	03
33.40			.0470747D	00	5.4226775D	02
33.50			.0341799D	00	1.2445748D	02
33.60	) 4	8 2	.0237399D	00	4.0638676D	02
33.70	) 4	8 2	.0345445D	00	1.7003674D	02
33.80		8 2	.0532733D	00	3.1002908D	02
33.90			•1190398D	00	1.0887301D	03
34.00			.1197597D	00	1.3088577D	03
34.10			.1088169D	00	8.5240225D	02
34.20			.1473766D	00	3.60751990	02
34.30			.1281509D	00	1.3249319D	02
34.40			•1390151D	00	1.5660095D	02
34.50 34.60			-1654643D	00	3.6171456D	02
34.70			•1908723D •2800638D	00	7.4481668D 1.8357460D	02 03
34.80			•2056644D	00	7.1669096D	02
34.90			•2454001D	00	4.9718394D	02
35.00			•2626655D	00	9.1897573D	01
35.10			•2521109D	00	1.0193975D	01
35.20			.2723284D	00	1.6769930D	02
35.30			•2918827D	00	3.5699434D	02
35.40	) 5	0 2	•3441595D	00	1.9624544D	03
35.50		0 2	•3186624D	00	1.2901978D	03
35.60			•2907571D	00	6.6465511D	02
35.70			•3508349D	00	2.6767959D	02
35.80			•3207656D	00	1.5923545D	01
35.90			•3187864D	00	6.7977295D	01
36.00				00	1.1225319D	02
36-10			-3442268D	00	3.3583804D	02
36.20 36.30			-4146511D	00	2.0436404D 7.9948194D	03
36.40			•2992201D •3125152D	00	7.9260623D	02 02
36.50				00	1.0187163D	02
36.60			•2912559D	00	9.4797136D	01
36.70				00	2.0117867D	02
36.80				00	2.01707510	02
36.90				00	7.9087945D	02
			_			

TABLE I. - EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	I(α, 1.5, 180°)
37.00	52	2.2658626D 00	6.0450442D 02
37.10	52	2.21631230 00	4.6263202D 02
37.20	52	2.2675715D 00	8.0657521D 02
37.30	52	2.2209281D 00	3.3265553D 01
37.40	53 53	2.2024093D 00	1.35152150 02
37.50 37.60	53 52	2.2156106D 00 2.1978972D 00	2.2485520D 02 3.0511464D 02
37.60 37.70	53 53	2.1978972D 00 2.2429854D 00	3.0511464D 02 1.5234004D 03
37.80	53	2.1137167D 00	1.8098066D 02
37.90	53	2.1045321D 00	3.2369711D 02
38.00	53	2.1795157D 00	1.3174136D 03
38.10	53	2.0883509D 00	2.3536041D 01
38.20	54	2.1054566D 00	7.5206381D 01
38.30	54	2.1357806D 00	9.9249142D 02
38.40	54	2.1070160D 00	7.6162550D 02
38.50	54	2.0410965D 00	3.3859903D 02
38.60	54	2.0007303D 00	2.3859472D 02
38.70	54	2.0463584D 00	5.5685284D 02
38.80	54	2.0268381D 00	1.9763454D 02
38.90	54	2.0224786D 00	6.7696980D 01
39.00	55	2.0561277D 00	1.7512249D 01
39.10	55	2.0456501D 00	1.0496307D 01
39.20	55	2.0651622D 00	9.9018551D 02
39.30	55 55	1.9789800D 00	1.4088075D 02
39.40	55 55	1.9756279D 00	3.6618883D 02
39.50	55 55	2.0719133D 00 2.0083921D 00	6.4853186D 02 8.3918323D 01
39.60 39.70	55 55	2.0083921D 00 2.0552592D 00	1.0064542D 02
39.80	55	2.0803304D 00	1.33550370 00
39.90	56	2.1012907D 00	4.1342940D 02
40.00	56	2.0400693D 00	9.1319914D 01
40.10	56	2.0208726D 00	3.5084815D 01
40.20	56	2.0624131D 00	5.4888902D 02
40.30	56	2.0762510D 00	1.7995580D 02
40.40	56	2.0983222D 00	5.0312558D 01
40.50	56	2.1608798D 00	1.2927824D 02
40.60	56	2.1652197D 00	1.8365970D 00
40.70	57	2.1625550D 00	2.3828347D 02
40.80	57	2.1261149D 00	1.5157630D 01
40.90	57	2.1271953D 00	4.2520420D CO
41.00	57	2.2386016D 00	1.4145119D 03
41.10	57 57	2.1752365D 00	6.7958628D 01
41.20	57 57	2.2337406D 00	8.4548551D-01
41.30	57 57	2.2692773D 00	2.6016645D 02 7.2412874D 02
41.40	5 <b>7</b>	2.3326420D 00 2.2352852D 00	7.2412874D 02 9.1666665D 01
41.50	58 50	2.2352852D 00 2.2177782D 00	2.8504704D 00
41.60	58 58	2.2415835D 00	2.1001580D 02
41.70	58	2.24198330 00 2.2518173D 00	2.9380076D 02
41.80 41.90	58	2.2736006D 00	5.3975346D 01
71.7U	70	2.27.300000 00	J# 37173400 UI

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
42.00	58	2.3315221D 00	2.1030571D 02
42.10	58	2.3222238D 00	3.0561556D 02
42.20	58	2.3003601D CO	7.6846037D 02
42.30	59	2.2686254D 00	1.5683817D 02
42.40	59	2.2544270D 00	3.6094569D 01
42.50	59	2.3372937D 00	1.3654653D 03
42.60	59	2.2693691D 00	1.9844708D 01
42.70	59	2.3060749D 00	1.2656768D 02
42.80	59	2.3239314D 00	3.9430411D 02
42.90	59	2.3234236D 00	1.7939567D 03
43.00	59	2.2586259D 00	6.5967892D 02
43.10	59	2.2235168D 00	2.0521976D 02
43.20	60	2.2247798D 00	2.4675643D 02
43.30	60	2.2180241D 00	1.6558830D 02
43.40	60	2.2208493D 00	4.2184146D 01
43.50	60	2.2653331D 00	7.6271668D 02
43.60	60	2.2306979D 00	3.7452925D 02
43.70	60	2.1965000D 00	8.6340588D 02
43.80	60	2.1561582D 00	4.1565555D 02
43.90	61	2.1259079D 00	8.8040821D 01
44.00	61	2.1498744D 00	1.2636469D 03
44.10	61	2.1226197D 00	1.0627321D 02
44.20	61	2.1432248D 00	2.2146317D 02
44.30	61	2.1533073D 00	1.5433058D 03
44.40	61	2.1111519D 00	2.16091920 03
44.50	61	2.0873116D 00	8.3263469D 02
44.60	61	2.0470307D 00	1.6680046D 02
44.70	62	2.0471667D 00	1.8767292D 02
44.80	62	2.0406629D 00	1.3706062D 02
44.90	62	2.0451062D 00	6.6417907D 00
45.00	62	2.0957944D 00	8.4262043D 02
45.10	62	2.1490468D 00	4.2131898D 03
45.20	62	2.0407289D 00	2.2981060D 03
45.30 45.40	62 62	2.0185628D 00 1.9944158D 00	9.6623832D 02 1.7419334D 02
45.50	63	2.0077704D 00	2.6631454D 02
45.60	63	2.0168335D 00	3.4688874D 01
45.70	63	2.0405730D 00	2.0941812D 02
45.80	63	2.0455136D 00	1.4881505D 03
45.90	63	2.0304822D 00	2.2406228D 03
46.00	63	2.0483970D 00	2.0272526D 03
46.10	63	2.0243283D 00	8.0386034D 02
46.20	63	2.0863648D 00	2.4539675D 03
46.30	64	2.0530957D 00	3.2393620D 02
46.40	64	2.0683814D 00	1.53879270 02
46.50	64	2.1314608D 00	1.6964164D 03
46.60	64	2.0838784D 00	2.6211098D 03
46.70	64	2.1007265D 00	2.0939324D 03
46.80	64	2.1122785D 00	1.2229492D 03
46.90	64	2.0990600D 00	2.8661992D 02
40.00	<b>5</b> <del>†</del>	200000000000000000000000000000000000000	240001/720 02

TABLE I. - EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

$\alpha$	No. of terms	$Q_{ m S}(lpha,~1.5)$	$I(\alpha, 1.5, 180^{\circ})$
47.00	65	2.1258381D 00	3.9589686D 02
47.10	65	2.1516524D 00	3.66145270 02
47.20	65	2.1718350D 00	2.1376847D 02
47.30	65	2.2316064D 00	2.6933257D 03
47.40	65	2.1600828D 00	2.7973772D 03
47.50	65	2.2064601D 00	2.5261075D 03
47.60	65	2.1886492D 00	5.6778521D 02
47.70	65	2.1992670D 00	3.9876087D 02
47.80	66	2.2302293D 00	2.3189190D 02
47.90	66	2.24217710 00	1.53786950 02
48.00	66	2.2967821D 00	1.2513860D 03
48.10	66	2.2709676D 00	6.5401565D 03
48.20 48.30	66	2.2352599D 00 2.2650316D 00	3.2591443D 03
48.40	66 64	2.2381109D 00	2.4037599D 03 5.6010003D 02
48.50	64	2.2586866D 00	4.3457795D 02
48.60	64	2.2796947D 00	4.4207757D 02
48.70	64	2.2792916D 00	1.53753990 02
48.80	64	2.2837539D 00	2.7969541D 03
48.90	65	2.2260592D 00	1.7927600D 03
49.00	65	2.2647632D 00	3.3942431D 03
49.10	65	2.2379361D 00	1.2844601D 03
49.20	65	2.2271963D 00	5.7556937D 02
49.30	65	2.2529905D 00	9.8560074D 02
49.40	65	2.2482263D 00	7.1462997D 02
49.50	65	2.3021534D 00	4.2410274D 03
49.60	65	2.1904403D 00	1.9589381D 03
49.70	66	2.1735272D 00	2.0591547D 03
49.80	66	2.2139641D 00	2.4199172D 03
49.90	66	2.1612207D 00	6.4625807D 02
50.00	66	2.1710727D 00	5.0265501D 02
50.10	66	2.1832497D 00	1.0758132D 03
50.20	66	2.1639184D 00	4.3107887D 02
50.30	66	2.1453659D 00	3.6392633D 03
50.40	66 4 <b>7</b>	2.0873967D 00	2.06387830 03
50.50	67	2.1096440D 00	3.7264431D 03
50.60	67 47	2.0940291D 00 2.0768022D 00	8.3258615D 02
50.70 50.80	67 67	2.0768022D 00 2.1043228D 00	2.6811811D 02
50.80 50.90	67	2.0945921D 00	8.1651762D 02 6.9445131D 02
51.00	67	2.1315682D 00	1.9549715D 02
51.10	67	2.0286927D 00	1.7728998D 03
51.20	67	2.0100695D 00	2.1201497D 03
51.30	68	2.0749010D 00	4.4750125D 03
51.40	68	2.0176552D 00	5.8483588D 02
51.50	68	2.03931140 00	1.0582870D 03
51.60	68	2.0647035D 00	1.5592359D 03
51.70	68	2.0475062D 00	4.9751994D 02
51.80	68	2.0249546D 00	2.0397974D 03
51.90	68	1.9891208D 00	9.3172982D 02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
52.00	68	2.0085017D	00 2.5412930D 03
52.10	69	2.0236448D (	00 1.3528517D 03
52.20	69	2.0233012D	00 5.9959458D 02
52.30	69	2.0712477D	00 2.0159296D 03
52.40	69	2.0759607D	00 1.7926654D 03
52.50	69	2.1354461D	00 4.9323300D 03
52.60	69	2.0342175D	00 1.2597923D 03
52.70	69	2.0262606D (	00 1.2260258D 03
52.80	69		00 4.13225240 03
52.90	69		00 2.2078458D 02
53.00	70		00 <b>7.</b> 4455135D 02
53.10	70		00 2.2068860D 03
53.20	70		00 1.0592369D 03
53.30	70		00 2.4237910D 03
53.40	70		00 1.2731208D 03
53.50	70		00 2.7111528D 03
53.60	70		00 6.0391855D 02
53.70	70		00 5.4161781D 02
53.80	71		00 1.8462358D 03
53.90	71		00 1.6853678D 03
54.00 54.10	71		00 4.6242916D 03
54•10 54•20	71 71		00 9.8144110D 02 00 1.0710417D 03
54.30	71 71		00 1.0710417b 03 00 5.9971921b 03
54.40	71		_
54.50	71 71		00 6.4744021D 02 00 1.5861836D 03
54.60	71 71		00 3.4224282D 03
54.70	72		00 8.9836158D 02
54.80	72		00 1.0608874D 03
54.90	72		00 3.5704107D 02
55.00	12		00 6.3610540D 02
55.10	12		00 4.9596867D 02
55.20	72		00 6.2546862D 02
55.30	72		00 2.8617211D 03
55.40	72		00 3.3467935D 03
55.50	73		00 3.5681576D 03
55.60	73	2.2001254D	00 6.3730951D 02
55.70	/3		00 7.1427599D 02
55.80	73		00 4.4726305D 03
55.90	73	2.1842488D	00 2.6839781D 02
56.00	73	2.1894258D	00 8.3580420D 02
56.10	73	2.2189780D	00 3.5811440D 03
56.20	73		00 1.2027952D 03
56.30	73	•	00 1.6317037D 03
56.40	74		00 5.2397397D 02
56.50	74		00 1.6906659D 03
56.60	74		00 4.6020240D 02
56.70	74		00 8.0353940D 02
56.80	74		00 2.6554364D 03
<b>56.</b> 90	74	2.1130031D	00 2.5098348D 03

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

o	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
57.00	74	2.0889427D 00	2.3358659D 03
57.10	74	2.0662147D 00	5.1484961D 02
57.20 57.30	75 <b>7</b> 5	2.0372866D 00 2.0901052D 00	2.8498106D 02 2.6195207D 03
57.40	75	2.0510277D 00	7.9895807D 02
57.50	75	2.0528416D 00	1.4388349D 03
57.60	75	2.0881798D 00	5.1406459D 03
57.70	75	2.0577330D 00	6.9659811D 03
57.80	75	2.0388673D 00	9.3857526D 02
57.90	75	2.0119925D 00	3.1403101D 01
58.00	76	2.0058798D 00	6.5047835D 02
58.10	76	2.0241259D 00	2.3172809D 02
58.20	76	2.0333352D 00	5.0892419D 02
58.30	76	2.0563275D 00	2.4488786D 03
58.40	76	2.0431290D 00	3.4977560D 03
58.50	76 74	2.0329722D 00	2.8163623D 03
58.60 58.70	76 76	2.0413162D 00	3.8072080D 02
58.80	76 76	2.0218445D 00 2.0458146D 00	2.7342005D 02 1.9023651D 01
58.90	77	2.0653983D 00	4.0201365D 02
59.00	77	2.0728300D 00	5.3419460D 02
59.10	77	2.1202833D 00	4.1183963D 03
59.20	17	2.0671055D 00	3.1150456D 03
59.30	77	2.0962580D 00	2.1805378D 03
59.40	77	2.0871350D 00	1.0560098D 02
59.50	77	2.0923165D 00	1.1260841D 03
59.60	17	2.1228697D 00	7.2316450D 02
59.70	78	2.1407558D 00	6.5767020D 02
59.80	78	2.1588183D 00	2.2139025D 03
59.90	78	2.1584801D 00	1.7404128D 03
60.00	78	2.1683735D 00	4.9992886D 03
60.10	78	2.1718064D 00	1.06361550 03
60.20	78	2.15170510 00	1.1416035D 00
60.30	78	2.1736801D 00	1.0033220D 02
60•40 60•50	78 79	2.2063021D 00 2.2073353D 00	6.1071166D 02 6.3463346D 02
60.60	79	2.2501105D 00	5.1955369D 03
60.70	79	2.1808666D 00	1.5581645D 03
60.80	79	2.2067765D 00	1.39181130 03
60.90	79	2.2032314D 00	2.5028713D 02
61.00	79	2.2368555D 00	1.8318599D 03
61.10	79	2.2277021D 00	1.7922313D 02
61.20	79	2.2395328D 00	1.5040514D 02
61.30	80	2.2380577D 00	9.54303310 02
61.40	80	2.20982870 00	2.3457794D 03
61.50	80	2.1857715D 00	1.6723352D 03
61.60	80	2.2260811D 00	1.2826699D 03
61.70	08	2.1864398D 00	1.1945958D 02
61.80	80	2.1950685D 00	3.8810232D 02
61.90	06	2.2218773D 00	2.1771206D 02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

	α No	o. of terms	$Q_{S}(\alpha, 1.5)$	1	$I(\alpha, 1.5, 180^{\circ})$	
62.00		80	2.2073864D	00	7.3729242D	01
62.10		81	2.2345626D	00	2.7821550D	03
62.20		81	2.1492359D	00	6.3885930D	02
62.30		81	2.1543265D	00	1.9196792D	03
62.40		81	2.1558466D	00	5.8038490D	02
62.50		81	2.1338733D	00	5.36302920	01
62.60		81	2.1547108D	00	5.1705492D	02
62.70		81	2.15896680	00	1.5011993D	02
62.80 62.90		81 82	2.1416085D 2.1021756D	00 00	9.6512489D 3.1682545D	02 02
63.00		82	2.0725256D	00	2.4101520D	02
63.10		82	2.1176988D	00	2.3121759D	03
63.20		82	2.0714844D	00	1.3770694D	02
63.30		82	2.0740188D	00	3.12287420	01
63.40		82	2.1014862D	00	4.5516323D	02
63.50		82	2.0819531D	00	3.3810803D	01
63.60		83	2.0951743D	00	2.8029528D	03
63.70		83	2.0218497D	00	1.14214650	02
63.80		83	2.0206101D	00	6.6437349D	02
63.90		8 <b>3</b>	2.04244950	00	9.9924384D	02
64.00		83	2.0238437D	00	3.3345335D	02
64.10		8 <b>3</b>	2.0503102D	00	5.72341870	01
64.20		83	2.06307610	00	4.2985696D	02
64.30		83	2.0486370D	00	2.0316933D	02
64.40		84	2.0146853D	00	4.1713568D	02
64.50		84	1.9957379D	00	1.8738439D	02
64.60 64.70		84	2.0483962D	00	2.4692341D	03
64.80		84 84	2.0213588D 2.0353426D	00 00	4.5515186D 2.0412969D	02 02
64.90		84	2.0779741D	00	2.1687269D	02
65.00		84	2.0673094D	00	4.5879015D	02
65.10		84	2.0704860D	00	1.4083410D	03
65.20		85	2.0299838D	00	2.6952101D	02
65.30		8 <b>5</b>	2.0336315D	00	2.8376604D	02
65.40		8 <b>5</b>	2.0737166D	00	1.4783500D	03
65.50		8 <b>5</b>	2.0683627D	00	2.8916846D	01
65.60		8 <b>5</b>	2.1030587D	00	3.3879606D	02
65.70		8 <b>5</b>	2.1296878D	00	7.2438133D	02
65.80		85	2.1252196D	00	2.9711648D	02
65.90		8 <b>6</b>	2.0995780D	00	6.5410987D	02
66.00		86	2.0886657D			
66.10		86		00	1.5857610D	03
66.20		86	2.1263694D	00	7.3281151D	02
66.30		83	2.1434274D	00	2.9397422D	01
66.40		84	2.1907294D 2.1812078D	00	1.1840028D	03
66.50 66.60		84 84	2.1755879D	00 00	8.8859199D 1.9570115D	02
66.70		84	2.1753679D	00	3.2858243D	03 02
66.80		84	2.1518309D	00	2.6551298D	01
66.90		84	2.1318383B		2.1793019D	03
000 90		U-F	59100¢101D	00	~ • r + 3 3 0 1 3 0	0.3

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

α	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
67.00	84	2.1843616D 00	3.4612406D 02
67.10	84	2.2063362D 00	1.02141180 01
67.20	85	2.2281852D 00	2.2505159D 03
67.30	85	2.2263033D 00	3.9178650D 02
67.40	85	2.19125700 00	1.9398874D 03
67.50	8 <b>5</b>	2.1729023D 00	2.4773230D 02
67.60	85 85	2.2011064D 00 2.1950201D 00	1.6262272D 03 2.3881678D 02
67•70 67•80	85 85	2.1982319D 00	3.6044077D 01
67.90	8 <b>5</b>	2.2301792D 00	8.3698640D 02
68.00	86	2.2015094D 00	2.3260812D 03
68.10	86	2.1887774D 00	4.1694494D 03
68.20	86	2.1615390D 00	1.9357358D 03
68.30	86	2.1486147D 00	2.6116529D 02
68.40	86	2.1689776D 00	1.8937421D 03
68.50	86	2.1648910D 00	2.7398285D 02
68.60	86	2.1667925D 00	1.7624137D 02
68.70	8 <b>6</b>	2.1757121D 00	3.1020819D 03
68.80	87	2.2002300D 00	4.9196835D 03
68.90	87	2.1248766D 00	2.8192995D 03
69.00	87	2.0961699D 00	1.1352416D 03
69.10	87	2.1123423D 00	8.5300620D 02
69.20	87	2.1078303D 00	9.5704128D 02
69.30	87	2.10385210 00	4.4357673D 02
69.40	87	2.1257449D 00	1.7446859D 03
69.50	87	2.0846242D 00	3.7880701D 03
69.60	88	2.0758752D 00	4.9020640D 03
69.70	88	2.0510720D 00	1.6895022D 03
69.80	88	2.0344822D 00	1.7066976D 02 1.1309240D 03
69.90	88	2.0505096D 00 2.0574716D 00	1.1309240D 03 6.3119970D 02
70.00 70.10	8 <b>8</b> 8 <b>8</b>	2.0546095D 00	9.4032780D 01
70.20	88	2.0660681D 00	4.3784735D 03
70.30	88	2.0329246D 00	8.2644869D 03
70.40	89	2.0349366D 00	5.3258336D 03
70.50	89	2.0094472D 00	1.3249031D 03
70.60	89	2.0370449D 00	2.6416497D 03
70.70	89	2.0380491D 00	5.2976705D 02
70.80	89	2.0409507D 00	3.1149389D 02
70.90	89	2.0657756D 00	9.9556569D 02
71.00	89	2.0299085D 00	2.6543712D 03
71.10	89	2.0372091D 00	6.5940824D 03
71.20	90	2.0332548D 00	4.1378780D 03
71.30	90	2.0246449D 00	1.0899768D 03
71.40	90	2.0495443D 00	1.34704150 03
71.50	90	2.0724446D 00	1.4585952D 03
71.60	<del>3</del> 0	2.1255730D 00	8.0840125D 03
71.70	9 <b>0</b>	2.0900450D 00	4.9044470D 03
71.80	90	2.0588305D 00 2.0912069D 00	4.6989290D 03 5.5197532D 03
71.90	90	7.0417004D 00	3. 31213370 A3

TABLE I. - EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{\rm S}(\alpha,~1.5)$	$I(\alpha, 1.5, 180^{\circ})$
72.00	90	2.0739343D 00	1.7112283D 03
72.10	91	2.1437754D 00	1.0052985D 04
72.20	91	2.12207510 00	1.6259109D C3
72.30 72.40	91	2.1303869D 00	1.8949506D 03
72.50	91 91	2.1520797D 00 2.1711896D 00	1.2272290D 03 1.2734838D 04
72.60	91	2.1711030D 00 2.1259150D 00	6.4797429D 03
72.70	91	2.1420788D 00	3.4241305D 03
72.80	91	2.13359620 00	4.8352660D 02
72.90	92	2.1599648D 00	5.95242810 02
73.00	92	2.1882189D 00	1.66921970 03
73.10	92	2.1812309D 00	9.0061950D 02
73.20	92	2.1896787D 00	5.6962217D 03
73.30	92	2.1513991D 00	5.2406103D 03
73.40	92	2.18932480 00	9.2494573D 03
73.50	92	2.1682677D 00	2.2112880D 03
73.60	92	2.1767110D 00	1.54589420 03
73.70	92	2.2066435D 00	1.8078108D 03
73.80 73.90	93	2.2084651D 00	1.72372290 03
74.00	9 <b>3</b> 9 <b>3</b>	2.2156134D 00 2.1670954D 00	5.9558426D 02 4.0196393D 03
74.10	93	2.16137930 00	4.7799679D 03
74.20	93	2.1840392D 00	6.2596837D 03
74.30	93	2.1610734D 00	1.48243350 03
74.40	93	2.1749755D 00	1.7193366D 03
74.50	9 <b>3</b>	2.1970246D 00	3.9489513D 03
74.60	94	2.1766210D 00	1.6398955D 03
74.70	94	2.1676085D 00	5.1095628D 03
74.80	94	2.1226627D 00	2.7710986D 03
74.90	94	2.1482848D 00	7.0488595D 03
75.00	94	2.1249650D 00	1.81939750 03
75.10	94	2.1196062D 00	1.01219280 03
75.20	94	2.1429286D 00	2.60556090 03
75.30 75.40	9 <b>4</b> 9 <b>5</b>	2.1370345D 00	4.37351210 03
75.50	95	2.1340127D 00 2.0790039D 00	9.3294988D 02 4.6720700D 03
75.60	95	2.0643305D 00	4.4110759D 03
75.70	95	2.0968533D 00	5.8004709D 03
75.80	95	2.0726042D 00	1.9156411D 03
75.90	95	2.0725997D 00	8.8892662D 02
76.00	95	2.0947747D 00	3.6425649D 03
76.10	95	2.0701962D 00	2.2887433D 03
76.20	96	2.0524437D 00	7.0861909D 03
76.30	96	2.0176361D 00	3.1628057D 03
76-40	96	2.0364445D 00	8.4306323D 03
76.50	96	2.0316948D 00	2.40584310 03
76.60 76.70	96	2.0306556D 00	1.35102120 03
76.70 76.80	96 04	2.05621510 00	3.57088190 03
76.90	96 96	2.0559240D 00 2.0616506D 00	4.1838625D 03 7.4615389D 02
100 70	70	7.0010300D 00	1440173070 02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

•	α No. of terms	$Q_{\mathbf{S}}(lpha,\ 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
77.00	97	2.0102887D 00	2.3499742D 03
77.10	97	2.0014402D 00	2.1178124D 03
77.20	97	2.0534936D 00	8.4195506D 03
77.30	97	2.0293354D 00	1.8743953D 03
77.40	97	2.0428022D 00	1.9762980D 03
77.50	97	2.0763741D 00	7.2419560D 03
77.60	97	2.0592180D 00	3.6246311D 03
77.70	97	2.0471615D 00	5.1544594D 03
77.80	98	2.0273517D 00	1.5635054D 03
77.90	98	2.0449932D 00	4.4883168D 03
78.00	98	2.0620554D 00	1.1501523D 03
78.10	98	2.0725311D 00	8.3521868D 02
78.20	98	2.1024817D 00	2.9870562D 03
78•30 78•40	98	2.1107721D 00	6.8898253D 03
78.50	98 00	2.1412388D 00	3.1376413D 03
78.60	98 99	2.0852745D 00 2.0803656D 00	2.99900920 03
78.70	99	2.0003030D 00 2.1421607D 00	2.4832348D 03 8.0427747D 03
78.80	99	2.1213973D 00	1.0711338D 03
78.90	99	2.1346114D 00	1.1910423D 03
79.00	99	2.1713222D 00	5.9484309D 03
79.10	99	2.1531507D 00	3.4178439D 03
79.20	99	2.1468045D 00	4.3223618D 03
79.30	99	2.1306040D 00	1.49696690 03
79.40	100	2.1403801D 00	4.2661256D 03
79.50	100	2.1608650D 00	1.9051489D 03
79.60	100	2.1694114D 00	1.8904670D 03
79.70	100	2.1873073D 00	4.2652869D 03
79.80	100	2.1887310D 00	6.6885314D 03
79.90	100	2.2185348D 00	1.0611534D 04
80.00	100	2.1617111D 00	1.0808768D 03
80.10	100	2.1496458D 00	6.5058069D 02
80.20	101	2.2034912D 00	7.7219765D 03
80.30	101	2.1779936D 00	1.5444570D 03
80.40	101	2.1770153D 00	1.7143726D 03
80.50	101	2.2019454D 00	9.5752434D 03
80.60	101	2.1667946D 00	5.3617006D 03
80.70	101	2.16002310 00	3.4411036D 03
80.80	101	2.13595750 00	5.0326732D 02
80.90	102	2.13371870 00	2.4042728D 03
81.00	102	2.1482513D 00	5.4816329D 02
81.10	102	2.1502429D 00	8.3006811D 02
81.20	102	2.1495669D 00	2.15614150 03
81.30 81.40	102	2.1380408D 00 2.1245471D 00	7.6159312D 03 1.0562507D 04
81.50	102 102	2.12454710 00 2.1039572D 00	1.7391910D 03
81.60	102	2.0829834D 00	9.8280059D 02
81.70	103	2.1189648D 00	3.8483629D 03
81.80	103	2.10416490 00	1.56283170 03
81.90	103	2.0952889D 00	1.0776768D 03
3.4 70	203	2007520075	111

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

α	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
82.00	103	2.11394810 00	7.4582490D 03
82.10	103	2.0662401D 00	3.0393006D 03
82.20	103	2.0673408D 00	4.0723222D 03
82.30	103	2.0420501D 00	4.6270037D 02
82.40	104	2.0363934D 00	1.6773561D 03
82.50	104	2.0529863D 00	1.34144550 03
82.60	104	2.0599642D 00	1.8339369D 03
82.70	101	2.0544321D 00	2.9530082D 03
82.80	101	2.0433094D 00	6.6033008D 03
82.90	101	2.0280025D 00	5.4586922D 03
83.00	102	2.0301139D 00	1.0010890D 03
83.10	102	2.0118103D 00 2.0320435D 00	3.0045484D 01 7.1924488D 02
83.20 83.30	102 102	2.0320435D 00 2.0469170D 00	7.1924488D 02 1.1583171D 03
83.40		2.0434685D 00	8.3316419D 02
83.50	102 102	2.0434883D 00 2.0691763D 00	9.0885666D 03
83.60	102	2.0273857D 00	2.55277730 03
83.70	102	2.0411166D 00	4.3089174D 03
83.80	103	2.0294435D 00	3.4486411D 01
83.90	103	2.0315116D 00	1.0928398D 03
84.00	103	2.0561918D 00	6.3002439D 02
84.10	103	2.0738223D 00	4.6999475D 02
84.20	103	2.0703261D 00	6.8475154D 02
84.30	103	2.0647549D 00	4.6189054D 03
84.40	103	2.0545794D 00	5.2277039D 03
84.50	103	2.0821985D 00	2.5488614D 03
84.60	104	2.0699260D 00	1.2998901D 02
84.70	104	2.0878905D 00	1.4068225D 02
84.80	104	2.1195283D 00	1.4380733D 03
84.90	104	2.1190206D 00	3.1340865D 02
85.00	104	2.1476271D 00	6.8117218D 03
85.10	104	2.0988481D 00	3.8122924D 03
85.20	104	2.1206851D 00	4.0482552D 03
85.30	104	2.1216432D 00	7.7188876D 02
85.40	105	2.1264692D 00	4.9742604D 02
85.50	105	2.1508740D 00	8.0007131D 02
85.60	105	2.1708097D 00	1.1124368D 03
85.70	105	2.1606932D 00	6.8794127D 02
85.80	105	2.1484381D 00	2.4279157D 03
85.90	105	2.1323314D 00	1.8781697D 03
86.00	105	2.1696922D 00	2.3238695D 03
86.10	105	2.1498317D 00	1.9723162D 02
86.20	106	2.1599777D 00	7.4504278D 01
86.30	106	2.1895916D 00	7.1805979D 02
86.40	106	2.1820501D 00	3.4497348D 02 5.9192547D 03
86.50 86.60	106	2.2036719D 00	
86.60 86.70	106 106	2.1397024D 00 2.1478768D 00	1.7131129D 03 3.5264460D 03
86-80	106	2.1525520D 00	3.3574261D 02
86.90	106	2.1560242D 00	1.8211396D 03
00-70	. 00	2.27002420 00	1402113705 03

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

Ó	α No. of terms	s $Q_S(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
87.00	107	2.1603331D 00	5.0663703D 02
87.10	107	2.1740060D 00	3.8516870D 02
87.20	107	2.1530940D 00	3.9736390D 02
87.30	107	2.1313310D 00	2•3386665D 02
87.40	107	2.1048549D 00	1.9641911D 03
87.50	107	2.14189460 00	5.1344457D 03
87.60	107	2.1113034D 00	1-8143646D 01
87.70 87.80	107	2.1108462D 00	1.3800886D 02
87.90	107 108	2.1319601D 00	1.2016496D 03
88.00		2.1168424D 00	2.4819847D 02
88.10	108 108	2.1360966D 00 2.0648118D 00	3.9244997D 03
88.20	108		5.4824130D 01
88.30	108	2.0613358D 00 2.0732722D 00	8.1263482D 02 1.9189660D 03
88.40	108	2.0661374D 00	
88.50	108	2.0712035D 00	8.6042092D 02 2.6985283D 02
88.60	108	2.0835098D 00	2.0089995D 03
88.70	109	2.0604266D 00	3.4781347D 02
88.80	109	2.0370178D 00	5.5018829D 02
88.90	109	2.0163223D 00	8.3787853D 01
89.00	109	2.0566880D 00	3.3057580D 03
89.10	109	2.0337010D 00	5.0785996D 02
89.20	109	2.0363242D 00	2.5079416D 02
89.30	109	2.0587829D 00	7.7904199D 02
89.40	109	2.04602930 00	2.7328985D 03
89.50	110	2.0692480D 00	2.9793967D 03
89.60	110	2.0093113D 00	3.3285357D 02
89.70	110	2.0086091D 00	5.4027256D 02
89.80	110	2.0341438D 00	1.2205584D 03
89.90	110	2.0373106D 00	2.6669239D 02
90.00	110	2.0476914D 00	2.4236370D 02
90.10	110	2.0686717D 00	1.8576055D 03
90.20	110	2.0524919D 00	2.7616995D 03
90.30	110	2.0390341D 00	2.7078035D 03
90.40	111	2.0277453D 00	4.5743577D 02
90.50	111	2.0681263D 00	4.6075086D 03
90.60	111	2.0646144D 00	9.3505842D 01
90.70	111	2.0747399D 00	1.4238946D 01
90.80	111	2.1012095D 00	1.41015620 03
90.90	111	2.0934734D 00	2.6326961D 03
91.00	111	2.1076029D 00	3.80957130 03
91.10	111	2.0759231D 00	1.9778658D 03
91.20	112	2.0773869D 00	1.9874453D 02
91.30	112	2.1071712D 00	3.5479567D 03
91.40	112	2.1184226D 00	8.9861529D <b>02</b>
91.50	112	2.1266092D 00	3.6155646D 01
91.60	112	2.1498318D 00	4.9544696D 03
91.70	112	2.1340330D 00	2.9100038D 03
91.80	112	2.1279069D 00	2.91209150 03
91.90	112	2.1169232D 00	7.8572588D 02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
92.00	113	2.1453505D 00	1.4504654D 03
92-10	113	2.1498934D 00	1.5161713D 03
92.20	113	2.1568184D 00	9.2447364D 02
92.30	113	2.1729022D 00	4.1443642D 02
92.40	113	2.1573419D 00	6.4830938D 03
92.50	113	2.1597587D 00	9.5539162D 03
92.60	113	2.1409041D 00	2.7960967D 03
92.70	113	2.1355318D 00	1.7434519D 02
92.80	114	2.1554527D 00	1.9237881D 03 5.5683405D 02
92•90 93•00	114	2.1648790D 00 2.1595529D 00	5.5683405D 02 2.6169232D 02
93.10	114 114	2.1595529D 00 2.1723977D 00	3.7366656D 03
93.20	114	2.1434939D 00	5.1410650D 03
93.30	114	2.1385424D 00	8.0097659D 03
93.40	114	2.1199523D 00	2.7817348D 03
93.50	114	2.1339174D 00	2.3280515D 03
93.60	115	2.13771570 00	1.3892688D 03
93.70	115	2.1367539D 00	9.1815406D 02
93.80	115	2.1372916D 00	6.3749134D 02
93.90	115	2.1096787D 00	4.77275190 03
94-00	115	2.1052473D 00	8.8806153D 03
94.10	115	2.0885707D 00	4.9607056D 03
94.20	115	2.0770440D 00	1.5407409D 03
94.30	116	2.0885664D 00	5.0709929D 03
94.40	116	2.0991461D 00	2.8300739D 03
94.50	116	2.0862205D 00	1.2491927D 03
94.60	116	2.0945430D 00	7.2291201D 03
94.70	116	2.0598872D 00	2.3519909D 03
94.80	116	2.05925170 00	7.7738231D 03
94.90	116	2.0380890D 00	2.0248502D 03
95.00	116	2.0493825D 00	1.2927484D 03
95.10	117	2.0564295D 00	1.5988283D 03
95.20	117	2.0578405D 00	3.0451936D 03
95.30	117	2.0545018D 00	9.7223943D 01
95.40	117	2.0287178D 00	8.1227657D 03
95.50	117	2.0278120D 00	1.3113215D 04
95.60	117	2.0249021D 00	6.3509670D 03
95.70	117	2.0170356D 00	1.2881918D 03
95.80	117	2.0300947D 00	1.6789798D 03
95.90	118	2.0510496D 00	2.31357210 03
96.00	118	2.0419260D 00	1.6013873D 03 5.3109706D 03
96.10 96.20	118	2.0569277D 00	
96.20 96.30	118 118	2.0299372D 00 2.0431107D 00	1.2560060D 04 1.3959167D 04
96.40	118	2.0431107D 00 2.0293822D 00	4.7111028D 03
96.50	118	2.0543117D 00	6.8650340D 03
96.60	119	2.0615298D 00	3.1217859D 03
96.70	119	2.0708455D 00	4.4385700D 03
96.80	119	2.0691307D 00	9.0598850D 01
96.90	119	2.0505997D 00	5.0697220D 03
,00,0	***	2203037770 00	3000712200 03

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

$\alpha$	No. of terms	$Q_{S}(lpha,\ 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
97.00	119	2.0542700D 00	7.9764760D 03
97.10 97.20	119 119	2.0718990D 00 2.0704029D 00	7.6758348D 03 2.2789722D 03
97.30	119	2.0866811D 00	2.8224506D 03
97.40	120	2.1148255D 00	6.2680136D 03
97.50	120	2.1074298D 00	5.0766125D 03
97.60	120	2.1239475D 00	1.0337501D 04
97.70	120	2.0856517D 00	8.2187626D 03
97.80	117	2.1186057D 00	1.3252563D 04
97.90	117	2.1104197D 00	2.7296636D 03
98.00	118	2.1573893D 00	1.6916755D 04
98.10	118	2.1436776D 00	2.1137879D 03
98.20	118	2.1530944D 00	6.6535941D 03
98.30	118	2.1456618D 00	1.5247860D 03
98.40	118	2.12481930 00	7.1865068D 03
98•50 98•60	118 118	2.1205500D 00 2.1459038D 00	9.4206296D 03 1.0797335D 04
98.70	118	2.1397206D 00	2.3548546D 03
98.80	119	2.1495145D 00	1.8102006D 03
98.90	119	2.1737871D 00	5.8566877D 03
99.00	119	2.1588002D 00	4.4705420D 03
99.10	119	2.1649836D 00	8.3692361D 03
99.20	119	2.1219181D 00	5.3500018D 03
99.30	119	2.1428945D 00	1.4508370D 04
99.40	119	2.1341775D 00	5.4067722D 03
99.50	119	2.1380219D 00	5.5969052D 03
99.60	120	2.1492926D 00	4.6299909D 03
99.70	120	2.1519043D 00	1.0142738D 04
99.80	120	2.1353428D 00	1.3993379D 03
99.90	120	2.1178477D 00	1-2706829D 04
100.00	120	2.0943878D 00	4.3404830D 03
100.10	120	2.1200424D 00	1.0893765D 04
100.20	120	2.1039878D 00 2.1039479D 00	2.3916580D 03 2.3657868D 03
100.30 100.40	120 121	2.10394790 00 2.1214806D 00	9.4501852D 03
100.50	121	2.0991037D 00	9.7290709D 03
100.60	121	2.0946104D 00	1.3499997D 04
100.70	121	2.0562127D 00	5.5254691D 03
100.80	121	2.0653014D 00	1.1598665D 04
100.90	121	2.0640757D 00	3.3002217D 03
101.00	121	2.0641543D 00	2.0217621D 03
101.10	121	2.0694917D 00	2.3511505D 03
101.20	122	2.0706499D 00	1.0551560D 04
101.30	122	2.0541191D 00	3.3498842D 03
101.40	122	2.0292857D 00	7.6417665D 03
101.50	122	2.0178161D 00	5.4892034D 03
101-60	122	2.0525738D 00	1.6131696D 04
101.70	122	2.0383905D 00	3.8176941D 03
101.80	122	2.0389893D 00 2.0584168D 00	2.5304566D 03
101.90	122	Z+UD84188U UU	9.6455333D 03

TABLE I. - EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

α	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
102.00	123	2.0374054D 00	7.7559743D 03
102.10	123	2.0332357D 00	8.1455367D 03
102.20	123	2.0100293D 00	2.9385847D 03
102.30	123	2.0188282D 00	7.0062466D 03
102.40	123	2.0325680D 00	4.4698089D 03
102.50	123	2.0426727D 00	4.3423011D 03
102.60	123	2.0500861D 00	4.3993728D 03
102.70	123	2.0577004D 00	1.5616142D 04
102.80	124	2.0499240D 00	3.0048539D 03
102.90	124	2.0346645D 00	3.9110129D 03
103.00	124	2.0304505D 00	2.1311190D 03
103.10 103.20	124	2.0760716D 00 2.0692447D 00	1.32779000 04
103.20	124		4.3377191D 03 2.2292237D 03
103.40	124 124	2.0744467D 00 2.0985964D 00	2.2292237D 03 1.0198788D 04
103.40	124	2.0799376D 00	1.2974366D 04
103.60	124	2.0825772D 00	1.2744082D 04
103.70	125	2.0702005D 00	3.1653319D 03
103.80	125	2.0790896D 00	6.2845217D 03
103.90	125	2.0990803D 00	2.3417195D 03
104.00	125	2.1143237D 00	2.4398693D 03
104.10	125	2.1190777D 00	1.8251972D 03
104.20	125	2.1280038D 00	1.2791681D 04
104.30	125	2.1242869D 00	3.3754329D 03
104.40	125	2.1133163D 00	4.7511641D 03
104.50	126	2.1088988D 00	2.4652542D 03
104.60	126	2.1539074D 00	1.7483262D 04
104.70	126	2.1424142D 00	4.5455717D 03
104.80	126	2.1441344D 00	2.9901257D 03
104.90	126	2.1615151D 00	1.1120088D 04
105.00	126	2.1347805D 00	8.9561000D 03
105.10	126	2.1394129D 00	7.7758524D 03
105.20	126	2.1255871D 00	1.0302192D 03
105.30	127	2.1279508D 00	2.2785215D 03
105.40	127	2.1423063D 00	2.2100897D 03
105.50	127	2.1522564D 00	4.2285286D 03
105.60	127	2.1437190D 00	2.7161429D 03
105.70	127	2.1433289D 00	1.7244870D 04
105.80	127	2.1421583D 00	3.7956812D 03
105.90	127	2.1210665D 00	2.5770787D 03
106.00	127	2.1094353D 00	6.7872562D 02
106.10	128	2.1439674D 00	9.4383869D 03
106.20	128	2.1301466D 00	2.0921947D 03
106.30	128	2.1229272D 00	1.5762439D 03
106.40	128	2.1282019D 00	7.4212601D 03
106.50	128	2.0905129D 00	1.0367656D 04 1.1925813D 04
106.60	128	2.0947458D 00 2.0775587D 00	1.1925813D 04 1.2957688D 03
106.70 106.80	128 128	2.0775587D 00 2.0746129D 00	2.8829488D 03
106.90		2.0840849D 00	1.53873630 03
100.30	129	£ • U0 TU0 T 7 U UU	T. 12013030 03

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

α	No. of terms	$Q_{S}(lpha,\ 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
107.00 107.10	129 129	2.0928746D 00 2.0767047D 00	2.4807228D 03 7.2708623D 02
107.20	129	2.0710677D 00	1.0504509D 04
107.30	129	2.0593418D 00	2.0321981D 04
107.40	129	2.0514570D 00	5.0538573D 03
107.50	129	2.0373029D 00 2.0581212D 00	6.6651841D 02 6.1946254D 03
107.60 107.70	129 130	2.0581212D 00 2.0588270D 00	6.1946254D 03 4.0415260D 03
107.80	130	2.0529991D 00	2.0349861D 03
107.90	130	2.0565720D 00	8.4691355D 03
108.00	130	2.0208620D 00	4.2021391D 03
108.10	130	2.0305109D 00	7.7900063D 03
108.20	130	2.0219497D 00	6.7274141D 02
108.30	130	2.0231632D 00	4.2906177D 02
108.40	1 30	2.0352362D 00	6.3600073D 02
108.50	131	2.0513564D 00 2.0384625D 00	3.2701056D 03
108.60	131 131	2.0384625D 00 2.0376183D 00	5.3204490D 02 1.1357710D 04
108.70 108.80	131	2.0185582D 00	1.0288099D 04
108.90	131	2.0413433D 00	3.8309902D 03
109.00	131	2.03190750 00	9.4273549D 01
109.10	131	2.0734177D 00	9.4992104D 03
109.20	131	2.0652008D 00	1.4718948D 03
109.30	132	2.0651621D 00	9.4566457D 02
109.40	132	2.0713543D 00	3.1362020D 03
109.50	132	2.0438804D 00	3.0128611D 03
109.60	132	2.0578359D 00	9.6249858D 03
109.70	1 32 1 32	2.0645121D 00 2.0721965D 00	8.9115150D 02 1.1231515D 03
109.80 109.90	132	2.0868126D 00	1.1715294D 03
110.00	133	2.1083801D 00	2.1103009D 03
110.10	133	2.0963333D 00	8.3316799D 01
110.20	133	2.0952189D 00	3.4059393D 03
110.30	133	2.0794486D 00	2.5385036D 03
110.40	133	2.1143716D 00	7.6275267D 03
110.50	133	2.1045880D 00	2.6506065D 02
110.60	133	2.1162703D 00	3.9324279D 02
110.70	133	2.1375958D 00	2.9464162D 03 1.6871877D 03
110.80	134 134	2.1366151D 00 2.1380649D 00	1.6871877D 03 4.0676535D 03
110.90 111.00	134	2.1121186D 00	4.9601110D 02
111.10	134	2.1152700D 00	3.1347678D 03
111.20	134	2.1278858D 00	1.3633039D 03
111.30	134	2.1327874D 00	6.5911359D 01
111.40	134	2.1402321D 00	4.4930085D 01
111.50	1 34	2.1584490D 00	3.7112366D 03
111.60	135	2.1398514D 00	1.27524970 03
111.70	135	2.1294410D 00	2.9560266D 03
111.80	135	2.1097302D 00	1.3959468D 03
111-90	135	2.1415428D 00	6.4380177D 03

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
112.00	135	2.1242277D 00 2.1276683D 00	8-1699795D 01
112.10 112.20	135 135	2.1276683D 00 2.1395547D 00	1.5161879D 02 9.7387397D 02
112.30	136	2.1321404D 00	9.7387397D 02 3.0070980D 03
112.40	136	2.1276506D 00	2.3497597D 03
112.50	136	2.0935202D 00	1.0198691D 03
112.60	136	2.08878880 00	1.9125794D 03
112.70	133	2.1002978D 00	1.6822679D 03
112.80	133	2.1004097D 00	8.0365401D 02
112.90	133	2.0968518D 00	4.0825522D 02
113.00	134	2.1095418D 00	3.2529964D 03
113.10	134	2.0851574D 00	2.3452198D 03
113.20	134	2.0701318D 00	1.0994576D 03
113.30	1 34	2.0509331D 00	1.6928887D 02
113.40	1 34	2.0765389D 00	6.4964055D 03
113.50	134	2.0615145D 00	5.5975032D 02
113.60	134	2.0621265D 00	3.4912682D 02
113.70	134	2.06724100 00	1.6154385D 03
113.80	135	2.0580971D 00	5.1849521D 03
113.90	135	2.0579238D 00	2.1879430D 03
114.00	1 35	2.0247569D 00	4.9732156D 02
114.10	135	2.0213135D 00	1.57732950 02
114.20 114.30	135	2.0380340D 00 2.0460276D 00	3.7589792D 03
114.40	135 135	2.0460276D 00 2.0388820D 00	4.5987904D 03 3.0837265D 02
114.50	135	2.0544306D 00	3.0837265D 02 5.1071137D 03
114.60	136	2.0315156D 00	6.8831528D 03
114.70	136	2.0235059D 00	3.3549101D 03
114.80	136	2.0118882D 00	2.5190087D 02
114.90	136	2.0359225D 00	3.9521390D 03
115.00	1 36	2.0370490D 00	4.0166888D 02
115.10	136	2.0446181D 00	6.3005801D 02
115.20	1 36	2.0506981D 00	4.9933251D 02
115.30	1 36	2.0472224D 00	6.3893384D 03
115.40	137	2.0640808D 00	1.9411993D 03
115.50	137	2.0317732D 00	4.0661829D 03
115.60	1.37	2.0342787D 00	3.6037790D 02
115.70	137	2.0573871D 00	4.5089989D 03
115.80	137	2.0703245D 00	9.3724037D 02
115.90	137	2.07129530 00	1.7979685D 02
116.00	137	2.0922345D 00	4.4862051D 03
116.10	137	2.0713285D 00	5.8260468D 03
116.20	138	2.0733366D 00	7.3587918D 03
116.30	138	2.0666137D 00	3.1169993D 03
116.40 116.50	138 138	2.0866235D 00 2.0982986D 00	1.3046881D 03 1.8434420D 03
116.60	138	2.1091086D 00	2.3460365D 03
116.70	138	2.1114227D 00	3.4464482D 01
116.80	138	2.1087741D 00	8.4874385D 03
116.90	138	2.1439601D 00	3.9087860D 03
<del>_</del>			

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
117.00	139	2.10242270 00	4.0907730D 03
117.10	139	2.1037515D 00	9.7067125D 02
117.20	139	2.1223102D 00	6.5422949D 03
117.30	139	2.1363858D 00	2.8767398D 03
117.40	139	2.1317603D 00	3.0067736D 03
117.50	139	2.1483435D 00	4.1590433D 03
117.60	139	2.1190852D 00	1.0049501D 04
117.70	139	2.1261502D 00	1.2496371D 04
117-80	140	2.1150399D 00	2.6420669D 03
117.90 118.00	140	2.1258822D 00 2.1431351D 00	1.01279570 03
118.10	140 140	2.1431351D 00 2.1401557D 00	1.3836625D 03 2.8529009D 03
118.20	140	2.1300372D 00	2.8529009D 03 1.2305584D 03
118.30	140	2.1190298D 00	7.5265807D 03
118.40	140	2.1204511D 00	1.9429793D 04
118.50	140	2.1074979D 00	1.0375766D 04
118.60	140	2.1026865D 00	2.8506284D 03
118.70	141	2.1117421D 00	6.2729984D 03
118.80	141	2.1230879D 00	3.7127879D 03
118.90	141	2.1096350D 00	2.8730205D 03
119.00	141	2.1184763D 00	3.7141528D 03
119.10	141	2.0779184D 00	5.6423830D 03
119.20	141	2.0874566D 00	1.5615050D 04
119.30	141	2.0706174D 00	6.0465216D 03
119.40	141	2.0757129D 00	1.4712083D 03
119.50	142	2.0821578D 00	4.2966299D 03
119.60	142	2.0853268D 00	8.5535522D 03
119.70	142	2.0679246D 00	2.0671491D 03
119.80	142	2.05278240 00	9.6651013D 03
119.90	142	2.0443484D 00	1.5009182D 04
120.00	142	2.0446683D 00	8.9761152D 03
120.10	142	2.0380675D 00	2.2052730D 03
120.20	142	2.0443135D 00	5.0244421D 03
120.30	143	2.0597670D 00	5.4879076D 03
120.40	143	2.0470971D 00	9.3766894D 03
120.50	143	2.0577986D 00	2.5643983D 03
120.60	143	2.0170541D 00	8.2446457D 03
120.70	143	2.0349682D 00 2.0221023D 00	2.2692475D 04 5.3759402D 03
120.80 120.90	143 143	2.0221023D 00 2.0302098D 00	1.8279714D 03
121.00	143	2.0302030D 00 2.0392183D 00	2.0337922D 03
121.10	144	2.0492901D 00	8.1112946D 03
121.20	144	2.0351348D 00	4.6496793D 03
121.30	144	2.02481240 00	9.1035767D 03
121.40	144	2.0203955D 00	1.2999562D 04
121.50	144	2.03771970 00	1.8457573D 04
121.60	144	2.0357638D 00	5.4025565D 03
121.70	144	2.0449323D 00	6.3956951D 03
121.80	144	2.0666622D 00	8.5275420D 03
121.90	145	2.0594085D 00	9.8040741D 03
		· · -	

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

	$\alpha$ 1	No. of terms	$Q_{S}(\alpha, 1.5)$	$\mathbf{I}(lpha,$	, 1.5, 180 <sup>0</sup> )	
	2.00	145	2.0766138D	00	3.0756365D	03
	2.10	145	2.0419871D	00	3.0776724D	03
	2.20	145	2.0641999D	00	1.8245034D	04
	2.30	145	2.06238190	00	7.8133275D	03
	2 • 40	145	2.0771483D	00	3.1326395D	03
	2.50	145	2.0854332D	00	4.5103314D	03
	2.60	145	2.1000995D	00	1.7342346D	04
	2.70	146	2.0877889D	00	8.4195148D	03
	2•80 2•90	146 146	2.0788547D	00	1.1520614D	04
	3 • 00	146	2.0761174D 2.1040976D	00	9.4826248D	03
	3.10	146	2.1040978D	00	1.6468915D 3.2347880D	04 03
	3.20	146	2.1105475D	00	3.7362266D	03
	. 30	146	2.1308552D	00	7.1131791D	03
	40	147	2.1220616D	00	1.67110330	04
	.50	147	2.1394515D	00	3.0129561D	03
	. 60	147	2.0998993D	00	1.3813156D	04
123	3.70	147	2.1147477D	00	2.0845947D	04
123	8 80	147	2.1180107D	00	7.8501647D	03
123	90	147	2.1492846D	00	2.0681879D	04
124	• 00	147	2.1311873D	00	2.5850210D	03
124	·• 10	147	2.14237130	00	1.4784415D	04
124	• 20	148	2.1251273D	00	8.9508546D	03
	• 30	148	2.1099909D	00	9.76153270	03
	• <b>4</b> 0	148	2.1014849D	00	7.7910597D	03
	• 50	148	2.1294095D	00	2.8280573D	04
	• 60	148	2.1183990D	00	7.6091448D	03
	70	148		00	6.5952703D	03
	• 80	148	2.1303665D	00	1.1148596D	04
	• 90	148	2.1154453D	00	1.8002179D	04
	• 00	149		00	6.4973885D	03
	• 10 • 20	149		00	5.8359636D	03
	.30	149 149	2.0872756D 2.0910700D	00	9.9658796D	03
	• 40	149		00	7.3477465D 1.2430693D	03 04
	• 50	149	2.0300330D	00	4.2168458D	03
	. 60	149		00	2.4240951D	04
	.70	150		00	1.5212499D	04
	80	150	2.0584095D	00	1.0477545D	04
	•90	150		00	6.5269679D	03
	• 00	150		00	2.6183661D	04
126	-10	150		00	4.3674621D	03
126	<b>.</b> 20	150		00	3.9141439D	03
	.30	150	2.0640710D	00	6.2128790D	03
	• <b>4</b> 0	150	2.0476294D	00	2.1237727D	04
	• 50	151	2.0652171D	00	1.3333236D	04
	•60	151		00	8.0949585D	03
	.70	151		00	1.1204409D	04
	• 80	151		00	7.7815159D	03
126	<b>-</b> 90	148	2.0436892D	00	8.3393188D	03

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

α	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
127.00	148	2.0368640D 00	2.9726989D 03
127.10	148	2.0454907D 00	2.0509269D 04
127.20	149	2.0287042D 00	1.2404481D 04
127.30	149	2.0206729D 00	9.9439454D 03
127.40	149	2.0146725D 00	4.0234273D 03
127.50	1 49	2.0540585D 00	3.4070934D 04
127.60	149	2.0422614D 00	8.2047364D 03
127.70	149	2.0447836D 00	8.1104895D 03
127.80	149	2.0506715D 00	9.2007157D 03
127.90	149	2.0383492D 00	2.2757069D 04
128.00	150	2.0528573D 00	2.0748658D 04
128.10	150	2.0312053D 00	2.9844713D 03
128.20	150	2.0387389D 00	4.0925817D 03
128.30	150	2.0550960D 00	3.8452220D 03
128-40	150	2.0715158D 00	7.5856219D 03
128.50	150	2.0673560D 00	3.6224844D 03
128.60	150	2.0805023D 00	2.6233930D 04
128.70	151	2.0661548D 00	1.8761213D 04
128.80	151	2.0678260D 00	1.0460545D 04
128.90	151	2.0655030D 00	3.64328320 03
129.00	151	2.10772710 00	3.07974140 04
129-10	151	2.0989815D 00	6.1519206D 03
129.20	151	2.10298450 00	4.2221993D 03
129.30	151	2.1055243D 00	3.2892425D 03
129.40	151	2.0939453D 00	1.8308804D 04
129.50	151	2.10591220 00	2.5007607D 04
129.60 129.70	152 152	2.0949833D 00	4.9255940D 03
129.80	152	2.1007714D 00 2.1139231D 00	5.0398741D 03
129.90	152	2.1300334D 00	4.6360699D 03
130.00	152	2.1300334D 00 2.1202042D 00	9.2887723D 03 2.5824382D 03
130.10	152	2.1295169D 00	2.5824382D 03 2.2385128D 04
130.20	152	2.1086349D 00	1.0297790D 04
130.20	152	2.1157556D 00	8.6601978D 03
130.40	153	2.1082108D 00	1.5029992D 03
130.50	153	2.1443761D 00	2.9090879D 04
130.60	153	2.1292903D 00	6.3984056D 03
130.70	153	2.12844770 00	7.7538781D 03
130.80	153	2.1193794D 00	3.9551314D 03
130.90	153	2.1010330D 00	1.7610213D 04
131.00	153	2.1077124D 00	2.2813103D 04
131.10	153	2.0981027D 00	1.5913401D 03
131.20	154	2.0981413D 00	1.4200866D 03
131.30	154	2.1033703D 00	9.0072692D 02
131.40	154	2.1156062D 00	6.0771281D 03
131.50	154	2.0979239D 00	2.2612563D 03
131.60	154	2.0999913D 00	2.1178639D 04
131.70	154	2.0698396D 00	1.0307031D 04
131.80	154	2.0808891D 00	1.2677307D 04
131.90	154	2.0675734D 00	1.7250931D 03
	- ·		· · · · · · · · · · · · · · · · · · ·

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
132.00	155	2.1009706D 00	2.8138578D 04
132.10	155	2.0794431D 00	4.2124381D 03
132.20	155	2.0771647D 00	3.5236501D 03
132.30	155	2.0619991D 00	8.5798423D 02
132.40	155	2.0409271D 00	8.0493779D 03
132.50 132.60	155	2.0436206D 00 2.0404767D 00	1.8615884D 04
132.70	155 155	2.0404767D 00 2.0403262D 00	3.8189689D 03 2.1176959D 03
132.80	156	2.0433893D 00	2.1176959D 03 2.0474533D 03
132.90	156	2.0578842D 00	8.8548694D 03
133.00	156	2.0416486D 00	1.2416577D 03
133.10	156	2.0454896D 00	1.7021601D 04
133.20	156	2.0195424D 00	9.4824702D 02
133.30	156	2.0370390D 00	1.1038796D 04
133.40	156	2.0249853D 00	5.0925650D 02
133.50	156	2.0533247D 00	1.9749329D 04
133.60	156	2.0411279D 00	3.0879587D 03
133.70	157	2.0448496D 00	7.4242961D 03
133.80	157	2.0337479D 00	1.3316528D 02
133.90	157	2.0189434D 00	5.9820786D 03
134.00	157	2.0242273D 00	1.2237018D 04
134.10	157	2.0347593D 00	1.1130269D 03
134.20	157	2.0402105D 00	4.7999116D 02
134.30	157	2.0457367D 00	4.7144050D 01
134.40	157	2.0652623D 00	5.0613309D 03
134.50	158	2.0540431D 00	3.4737841D 03
134.60	158	2.0624599D 00	1.0106364D 04
134.70	158	2.0408390D 00	1.10663610 04
134.80 134.90	158	2.0702416D 00 2.0632970D 00	1.63050480 04
135.00	158 158	2.0775370D 00	5.8383057D 02 2.6891667D 03
135.10	158	2.0830697D 00	2.8225830D 03
135.20	159	2.0905033D 00	4.4742644D 03
135.30	159	2.0822063D 00	2.1606904D 03
135.40	159	2.0700889D 00	5.4467452D 02
135.50	159	2.0750702D 00	3.8832683D 03
135.60	159	2.0939408D 00	4.0627886D 03
135.70	159	2.1013955D 00	8.3938901D 02
135.80	159	2.1049188D 00	4.7557110D 02
135.90	159	2.1227833D 00	8.7935896D 03
136.00	160	2.1100168D 00	3.3437712D 03
136.10	160	2.1145175D 00	5.2339905D 03
136.20	160	2.0913855D 00	6.8622595D 02
136.30	160	2.1182431D 00	8.4054002D 03
136.40	160	2.1132108D 00	3.6916751D 02
136.50	160	2.1233282D 00	6.5666084D 03
136.60	160	2.12230110 00	6.1668542D 02
136.70	160	2.1257313D 00	1.0662811D 04
136.80 136.90	161	2.1148672D 00 2.0983388D 00	2.9878941D 03
130.70	161	2.0983388D 00	3.9384197D 02

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

	α	No. of terms	$Q_{S}(\alpha, 1.5)$		I(α, 1.5, 180°)	)
137.00		161	2.0958592D	00	1.9506334	03
137.10		161	2.1120010D	00	2.41432130	03
137.20		161	2.1145304D	00	1.06792190	
137.30		161	2.1104919D	00	2.95194890	
137.40		161	2.12063910	00	4.06998210	
137.50		161	2.1014935D	00	8.9450934	
137.60		162	2.0991952D	00	4.32529090	-
137.70		162	2.07613260	00	4.57371750	
137.80		162	2.0901433D	00	8.09650180	
137.90		162	2.0866138D 2.0898857D	00	9.18374180	
138.00 138.10		162 162	2.0819796D	00 00	3.4383623D 1.1956551D	
138.20		162	2.0805238D	00	6.80805210	
138.30		162	2.0690016D	00	7.25633500	
138.40		163	2.0536789D	00	5.8363903D	
138.50		163	2.0466719D	00	1.75103080	
138.60		163	2.0612660D	00	8.96122560	
138.70		163	2.06236950	00	4.55439890	
138.80		163	2.0548812D	00	5.5603930D	02
138.90		163	2.0609029D	00	6.59231720	03
139.00		163	2.0393492D	00	8.1373064D	03
139.10		164	2.0387784D	00	4.4474398D	03
139.20		164	2.0224408D	00	1.27612810	03
139.30		164	2.0326346D	00	8.5581439D	02
139.40		164	2.0369655D	00	2.0244283D	
139.50		164	2.0439986D	00	3.0292124D	
139.60		1 64	2.03451430	00	6.3639735D	
139.70		164	2.03463640	00	1.19392100	
139.80		164	2.0284563D	00	9.9210135D	
139.90		165	2.0190233D	00	4.0201666D	
140.00		165	2.0186918D 2.0380556D	00	1.4305883D 7.8520079D	02 03
140.10 140.20		l 65 l 65	2.0485578D	00	3.3130211D	02
140.20		165	2.0433142D	00	2.9355757D	03
140.40		165	2.0511000D	00	1.7723756D	03
140.50		162	2.0322871D	00	1.0942730D	04
140.60		l 66	2.0413327D	00	1.5993702D	04
140.70		166		00	4.2390705D	03
140.80	1	166	2.0445017D	00	1.0360464D	03
140.90		166	2.0563941D		1.3086855D	
141.00	1	163	2.0708141D	00	2.72421430	03
141.10	1	163	2.0633988D	00	1.6522154D	03
141.20		163		00	6.4114906D	03
141.30		163		00	9.1333612D	03
141.40		64		00	1.12112200	04
141.50		64		00	3.5251738D	03
141.60		64		00	1.6877652D	04
141.70		164		00	5.5259292D	03
141.80		164		00	6.20267010	03
141.90	1	64	2.1024884D	00	1.5471997D	03

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
142.00	164	2.0832255D 00	8.2843579D 03
142.10	165	2.0987873D 00	1.5561090D 04
142.20	165	2.0908182D 00	4.8299525D 03
142.30	165	2.0999570D 00	4.7549753D 02
142.40	165	2.1088566D 00	3.8222764D 03
142.50	165	2.1223240D 00	9.2093638D 03
142.60	165	2.1104735D 00	7.4616375D 03
142.70	165	2.1092727D 00	1.0806280D 04
142.80	165	2.1037897D 00	8.3455778D 03
142.90	166	2.1065705D 00	1.32389730 04
143.00	166	2.1045529D 00	2.2718426D 03
143.10	166	2.1149130D 00	1.1218879D 04
143.20	166	2.1227209D 00	2.7913219D 03
143.30	166	2.1167925D 00	1.0206843D 04
143.40	166	2.1137378D 00	1.8951873D 03
143.50	166	2.088 <b>7</b> 980D 00	9.7958881D 03
143.60	166	2.1025544D 00	2.9170294D 04
143.70	167	2.0917566D 00	1.0049228D 04
143.80	167	2.0958510D 00	2.6488023D 03
143.90	167	2.0974783D 00	3.0349020D 03
144.00	167	2.1062832D 00	1.0452449D 04
144.10	167	2.0876538D 00	7.5500906D 03
144.20	167	2.0793807D 00	7.1714123D 03
144.30	167	2.0847702D 00	1.0227818D 03
144.40	167	2.0732526D 00	2.2771720D 04
144.50	167	2.0664774D 00	7.2455436D 03
144.60	168	2.0701873D 00	1.6757922D 04
144.70	168	2.0760891D 00	7.5924487D 03
144.80	168	2.0681730D 00	1.9158251D 04
144.90	168	2.0602688D 00	1.1392646D 03
145.00	168	2.0342883D 00	8.3837373D 03
145.10	168	2.0457551D 00	2.22750760 04
145.20	168	2.0385410D 00	8.5509902D 03
145.30	168	2.0429284D 00	2.5319389D 03
145.40	169	2.0426331D 00	6.0480493D 03
145.50	169	2.0534679D 00	1.6871848D 04
145.60	169	2.0367272D 00	1.9575655D 04
145.70	169	2.0291265D 00	1.5631556D 04
145.80	169	2.0169752D 00	1.9715529D 04
145.90	169	2.0346395D 00	2.9133012D 04
146.00	169	2.0288495D 00	5.4851572D 03
146.10	169	2.0334942D 00	8.6780194D 03
146 • 20	170	2.04177970 00	3.7824106D 03
146.30	170	2.0392793D 00	1.9935299D 04
146.40	170	2.0360835D 00	6.2003690D 03
146.50	170	2.0171519D 00	1.1687352D 04
146.60	1 70	2.0297232D 00	2.4332776D 04
146.70	170	2.0342163D 00	1.6398791D 04
146.80	1 70	2.0445476D 00	7.0831591D 03
146.90	170	2.0457370D 00	5.6506970D 03

TABLE I. - EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

o	No. of terms	$Q_{\mathbf{S}}(lpha,\ 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
147.00	171	2.0609340D 00	2.0124519D 04
147.10	171	2.0495160D 00	1.7170773D 04
147.20	171	2.0464079D 00	1.1901330D 04
147.30	171	2.0390685D 00	8.6165883D 03
147.40	171	2.0691968D 00	3.7420874D 04
147.50	171	2.0652072D 00	1.0218636D 04
147.60	171	2.0728922D 00	1.4314100D 04
147.70 147.80	171	2.0805446D 00	7.2158982D 03
147.90	1 72 1 72	2.0804179D 00 2.0808814D 00	3.3106242D 04 6.5426841D 03
148.00	172	2.0808814D 00 2.0660175D 00	
148.10	172	2.0060173D 00 2.0763478D 00	9.6913584D 03 1.4780193D 04
148.20	172	2.0876363D 00	1.1312856D 04
148.30	172	2.10067030 00	5.2866118D 03
148-40	172	2.0996065D 00	5.7119450D 03
148.50	172	2.11317030 00	2.08484410 04
148.60	173	2.0998417D 00	3.0380517D 04
148.70	173	2.0949921D 00	2.1412359D 04
148.80	173	2.0875308D 00	1.2941755D 04
148.90	173	2.1191448D 00	4.8878272D 04
149.00	173	2.1096998D 00	9.3907991D 03
149.10	173	2.1147433D 00	1.0326126D 04
149.20	1 73	2.1149529D 00	3.0815390D 03
149.30	1 73	2.1104327D 00	2.7292713D 04
149.40	174	2.1094150D 00	1.0696252D 04
149.50	174	2.0913507D 00	1.0140834D 04
149.60	174	2.0933406D 00	1.30107750 04
149.70	174	2.1014737D 00	1.8289470D 04
149.80	174	2.1113740D 00	1.2634046D 04
149.90	174	2.1023975D 00	8.8012072D 03
150.00	174	2.1101377D 00	2.6170071D 04
150.10	174	2.0906551D 00	2.6182913D 04
150.20	175	2.0832364D 00	1.4562995D 04
150.30	175	2.0722434D 00	5.7844432D 03
150.40	1 75	2.0983419D 00	4.0844996D 04
150.50	175	2.0835960D 00	1.0057197D 04
150.60	175	2.0843248D 00	1.6579506D 04
150.70	175	2.07597130 00	5.2766943D 03
150.80	1 75	2.0670998D 00	4.0076040D 04
150.90	175	2.0680122D 00	1.2010476D 04
151.00 151.10	176	2.0480051D 00	1.1078720D 04
151.20	176 176	2.0473515D 00 2.0532236D 00	8.6307331D 03 9.2605796D 03
151.20	176	2.0532236D 00 2.0729498D 00	9.2605796D 03 4.2911174D 04
151.40	176	2.0504221D 00	7.2457129D 03
151.50	176	2.0561619D 00	1.9955216D 04
151.60	176	2.0337648D 00	3.3743787D 04
151.70	177	2.0325080D 00	2.4081279D 04
151.80	177	2.0241783D 00	9.42421870 03
151.90	177	2.0470580D 00	4.3119579D 04
-//0	411	2.01103000 00	70 71177170 04

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

152.00	lpha	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
152.20		177	2.03839070 00	
152.30				
152.40				
152.50				•
152.60				
152.70				
152.80				
152.90				
153.00				
153.10         178         2.0290094D         00         2.720022D         04           153.20         178         2.0388602D         00         1.7694686D         04           153.30         179         2.0351865D         00         3.2762819D         03           153.40         179         2.0569059D         00         2.0532004D         04           153.50         179         2.0674979D         00         1.6475506D         04           153.60         179         2.0600950D         00         3.5265755D         03           153.80         179         2.0809202D         00         3.4659352D         04           153.90         179         2.0809202D         00         3.8459352D         04           154.10         180         2.0611773D         00         8.7017796D         03           154.10         180         2.0682280D         00         5.2101427D         03           154.10         180         2.0780228D         00         4.3478957D         03           154.10         180         2.078028D         00         4.3478957D         03           154.50         180         2.105523D         00         1.4809938D <td></td> <td></td> <td></td> <td></td>				
153.20         178         2.03886020         00         1.76946860         04           153.30         179         2.03518650         00         3.2762819D         03           153.40         179         2.0569059D         00         2.05320040         04           153.50         179         2.06764420         00         6.1524686D         03           153.60         179         2.060950D         00         3.52657550         03           153.70         179         2.05590650         00         3.4659352D         04           153.90         179         2.0809202D         00         5.8796369D         03           154.00         180         2.06117730         00         8.7017796D         03           154.10         180         2.0780228D         00         5.2101427D         03           154.20         180         2.0780228D         00         4.3478957D         03           154.20         180         2.0943638D         00         1.1328989D         04           154.40         180         2.0942863BD         00         1.460993BD         04           154.50         180         2.100523D         00         1.460993BD<				
153.30         179         2.0351865D         00         3.2762819D         03           153.40         179         2.0569059D         00         2.0532004D         04           153.50         179         2.0674442D         00         6.1524686D         03           153.60         179         2.0600950D         00         3.5265755D         03           153.70         179         2.0600950D         00         3.5265755D         03           153.80         179         2.0809202D         00         5.8796369D         03           154.00         180         2.0611773D         00         8.7017796D         03           154.10         180         2.068228DD         00         5.2101427D         03           154.20         180         2.0780228D         00         4.3478957D         03           154.30         180         2.0943638D         00         1.1328989D         04           154.40         180         2.0943638D         00         1.4809938D         04           154.50         180         2.0943638D         00         1.4809938D         04           154.60         177         2.0768425D         00         2.2392700D				
153.40       179       2.0569059D       00       2.0532004D       04         153.50       179       2.0576442D       00       6.1524686D       03         153.60       179       2.0600950D       00       3.5265755D       03         153.70       179       2.0600950D       00       3.4659352D       04         153.80       179       2.0809202D       00       5.8796369D       03         154.00       180       2.0611773D       00       8.7017796D       03         154.10       180       2.0682280D       00       5.2101427D       03         154.20       180       2.0780228D       00       4.3478957D       03         154.30       180       2.0780228D       00       4.3478957D       03         154.40       180       2.0892402D       00       6.8761694D       03         154.50       180       2.1005523D       00       1.4809938D       04         154.60       177       2.0768425D       00       2.2392700D       04         154.80       178       2.0881642D       00       6.4322794D       03         154.90       178       2.1044014D       00       2.0611				
153.50				
153.60       179       2.0674979D       00       1.6475506D       04         153.70       179       2.0600950D       3.5265755D       03         153.80       179       2.0559065D       00       3.4659352D       04         153.90       179       2.0809202D       00       5.8796369D       03         154.00       180       2.0611773D       00       8.7017796D       03         154.10       180       2.068228DD       00       5.2101427D       03         154.20       180       2.0780228D       00       4.3478957D       03         154.30       180       2.0943638D       00       1.1328989D       04         154.40       180       2.0892402D       00       6.8761694D       03         154.50       180       2.1005523D       00       1.4809938D       04         154.40       180       2.1068425D       00       2.2392700D       04         154.50       180       2.10768425D       00       2.2392700D       04         154.70       177       2.0937410D       00       3.1055948D       04         154.80       178       2.0881642D       00       6.4322794D       <				
153.70       179       2.0600950D 00       3.5265755D 03         153.80       179       2.0559065D 00       3.4659352D 04         153.90       179       2.0809202D 00       5.8796369D 03         154.00       180       2.0611773D 00       8.7017796D 03         154.10       180       2.068228DD 00       5.2101427D 03         154.20       180       2.0780228D 00       4.3478957D 03         154.30       180       2.0943638D 00       1.1328989D 04         154.40       180       2.0892402D 00       6.8761694D 03         154.50       180       2.1005523D 00       1.4809938D 04         154.60       177       2.0768425D 00       2.2392700D 04         154.70       177       2.0768425D 00       2.2392700D 04         154.80       178       2.0937410D 00       3.1055948D 04         154.90       178       2.1044014D 00       2.0611289D 04         155.00       178       2.1049190D 00       8.0887665D 03         155.10       178       2.1018137D 00       8.6141827D 02         155.30       178       2.1018137D 00       8.6141827D 02         155.40       179       2.0986487D 00       8.2867203D 03         155.70 <td></td> <td></td> <td></td> <td></td>				
153.80				
153.90				
154.10       180       2.0682280D       00       5.2101427D       03         154.20       180       2.0780228D       00       4.3478957D       03         154.30       180       2.0943638D       00       1.1328989D       04         154.40       180       2.0892402D       00       6.8761694D       03         154.50       180       2.1005523D       00       1.4809938D       04         154.60       177       2.0768425D       00       2.2392700D       04         154.70       177       2.0937410D       00       3.1055948D       04         154.80       178       2.0881642D       00       6.4322794D       03         154.90       178       2.1044014D       00       2.0611289D       04         155.00       178       2.1049190D       00       8.0887665D       03         155.10       178       2.1018137D       00       8.6141827D       02         155.20       178       2.1018137D       00       8.6141827D       02         155.30       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867				5.8796369D 03
154.20       180       2.0780228D 00       4.3478957D 03         154.30       180       2.0943638D 00       1.1328989D 04         154.40       180       2.0892402D 00       6.8761694D 03         154.50       180       2.1005523D 00       1.4809938D 04         154.50       177       2.0768425D 00       2.2392700D 04         154.60       177       2.0937410D 00       3.1055948D 04         154.80       178       2.0881642D 00       6.4322794D 03         154.90       178       2.1044014D 00       2.0611289D 04         155.00       178       2.1049190D 00       8.0887665D 03         155.10       178       2.1018137D 00       8.6141827D 02         155.20       178       2.1018137D 00       8.6141827D 02         155.30       178       2.0942861D 00       1.8914042D 04         155.50       179       2.0986487D 00       8.2867203D 03         155.50       179       2.0986487D 00       8.2867203D 03         155.50       179       2.1052341D 00       5.4891632D 03         155.90       179       2.10555505D 00       1.0981879D 04         156.00       179       2.11679500D 00       1.8752921D 04         156.10<	154.00	180	2.0611773D 00	8.7017796D 03
154.30       180       2.0943638D       00       1.1328989D       04         154.40       180       2.0892402D       00       6.8761694D       03         154.50       180       2.1005523D       00       1.4809938D       04         154.60       177       2.0768425D       00       2.2392700D       04         154.70       177       2.0937410D       00       3.1055948D       04         154.80       178       2.0881642D       00       6.4322794D       03         154.90       178       2.1049190D       00       8.0887665D       03         155.00       178       2.1049190D       00       8.0887665D       03         155.10       178       2.1049190D       00       8.0887665D       03         155.20       178       2.1049190D       00       8.0887665D       03         155.30       178       2.1049190D       00       8.0887665D       03         155.40       178       2.1018137D       00       1.4994171D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.60       179       2.1019446D       00       3.7151	154-10	180	2.0682280D 00	5.2101427D 03
154.40       180       2.0892402D       00       6.8761694D       03         154.50       180       2.1005523D       00       1.4809938D       04         154.60       177       2.0768425D       00       2.2392700D       04         154.70       177       2.0937410D       00       3.1055948D       04         154.80       178       2.0881642D       00       6.4322794D       03         154.90       178       2.1044014D       00       2.0611289D       04         155.00       178       2.1049190D       00       8.0887665D       03         155.10       178       2.1018137D       00       8.6141827D       02         155.20       178       2.1018137D       00       8.6141827D       02         155.30       178       2.0942861D       00       1.8914042D       04         155.40       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.60       179       2.1055341D       00       5.4891632D       03         155.80       179       2.1161033D       00       1.5856	154.20	180	2.0780228D 00	4.3478957D 03
154.50       180       2.1005523D       00       1.4809938D       04         154.60       177       2.0768425D       00       2.2392700D       04         154.70       177       2.0937410D       00       3.1055948D       04         154.80       178       2.0881642D       00       6.4322794D       03         154.90       178       2.1044014D       00       2.0611289D       04         155.00       178       2.1049190D       00       8.0887665D       03         155.10       178       2.1018137D       00       8.6141827D       02         155.20       178       2.1018137D       00       8.6141827D       02         155.30       178       2.0942861D       00       1.8914042D       04         155.40       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.60       179       2.1019446D       00       3.7151952D       03         155.80       179       2.1055505D       00       1.5856452D       04         156.90       179       2.1055505D       00       1.8752	154.30	180	2.0943638D 00	1.1328989D 04
154.60       177       2.0768425D       00       2.2392700D       04         154.70       177       2.0937410D       00       3.1055948D       04         154.80       178       2.0881642D       00       6.4322794D       03         154.90       178       2.1044014D       00       2.0611289D       04         155.00       178       2.1049190D       00       8.0887665D       03         155.10       178       2.1132953D       00       1.4994171D       04         155.20       178       2.1018137D       00       8.6141827D       02         155.30       178       2.0942861D       00       1.8914042D       04         155.40       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.70       179       2.1019446D       00       3.7151952D       03         155.80       179       2.1161033D       00       1.5856452D       04         156.90       179       2.1055505D       00       1.0981879D       04         156.10       179       2.0810300D       00       1.5343	154.40	180	2.0892402D 00	6.8761694D 03
154.70       177       2.0937410D       00       3.1055948D       04         154.80       178       2.0881642D       00       6.4322794D       03         154.90       178       2.1044014D       00       2.0611289D       04         155.00       178       2.1049190D       00       8.0887665D       03         155.10       178       2.1132953D       00       1.4994171D       04         155.20       178       2.1018137D       00       8.6141827D       02         155.30       178       2.0942861D       00       1.8914042D       04         155.40       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.60       179       2.1019446D       00       3.7151952D       03         155.70       179       2.1052341D       00       5.4891632D       03         155.90       179       2.1055505D       00       1.0981879D       04         156.00       179       2.0114792D       00       1.8752921D       04         156.10       179       2.081030D       00       1.53435		180	2.1005523D 00	1.4809938D 04
154.80       178       2.0881642D 00       6.4322794D 03         154.90       178       2.1044014D 00       2.0611289D 04         155.00       178       2.1049190D 00       8.0887665D 03         155.10       178       2.1132953D 00       1.4994171D 04         155.20       178       2.1018137D 00       8.6141827D 02         155.30       178       2.0942861D 00       1.8914042D 04         155.40       178       2.1075673D 00       4.3216404D 04         155.50       179       2.0986487D 00       8.2867203D 03         155.60       179       2.1019446D 00       3.7151952D 03         155.70       179       2.1052341D 00       5.4891632D 03         155.80       179       2.1161033D 00       1.5856452D 04         155.90       179       2.1055505D 00       1.0981879D 04         156.00       179       2.0114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.30       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0975952D 00       8.8358141D 03         156.60       180       2.0975950D 00       1.4798268D 04         156.70 <td></td> <td></td> <td></td> <td></td>				
154.90       178       2.1044014D       00       2.0611289D       04         155.00       178       2.1049190D       00       8.0887665D       03         155.10       178       2.1132953D       00       1.4994171D       04         155.20       178       2.1018137D       00       8.6141827D       02         155.30       178       2.0942861D       00       1.8914042D       04         155.40       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.60       179       2.1019446D       00       3.7151952D       03         155.70       179       2.1052341D       00       5.4891632D       03         155.80       179       2.1161033D       00       1.5856452D       04         155.90       179       2.1055505D       00       1.0981879D       04         156.00       179       2.1114792D       00       1.8752921D       04         156.20       179       2.0810300D       00       1.5343558D       04         156.30       180       2.0985872D       00       1.7200				
155.00       178       2.1049190D       00       8.0887665D       03         155.10       178       2.1132953D       00       1.4994171D       04         155.20       178       2.1018137D       00       8.6141827D       02         155.30       178       2.0942861D       00       1.8914042D       04         155.40       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.60       179       2.1019446D       00       3.7151952D       03         155.70       179       2.1052341D       00       5.4891632D       03         155.80       179       2.1161033D       00       1.5856452D       04         155.90       179       2.1055505D       00       1.0981879D       04         156.00       179       2.1114792D       00       1.8752921D       04         156.10       179       2.081030D       00       1.5343558D       04         156.20       179       2.0985872D       00       2.4219930D       04         156.30       180       2.09779952D       00       8.8358				
155.10       178       2.1132953D 00       1.4994171D 04         155.20       178       2.1018137D 00       8.6141827D 02         155.30       178       2.0942861D 00       1.8914042D 04         155.40       178       2.1075673D 00       4.3216404D 04         155.50       179       2.0986487D 00       8.2867203D 03         155.60       179       2.1019446D 00       3.7151952D 03         155.70       179       2.1052341D 00       5.4891632D 03         155.80       179       2.1161033D 00       1.5856452D 04         155.90       179       2.1055505D 00       1.0981879D 04         156.00       179       2.1114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0975952D 00       1.7200109D 03         156.40       180       2.0975952D 00       1.4798268D 04         156.50       180       2.09599502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
155.20       178       2.1018137D       00       8.6141827D       02         155.30       178       2.0942861D       00       1.8914042D       04         155.40       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.60       179       2.1019446D       00       3.7151952D       03         155.70       179       2.1052341D       00       5.4891632D       03         155.80       179       2.1161033D       00       1.5856452D       04         155.90       179       2.1055505D       00       1.0981879D       04         156.00       179       2.0810300D       00       1.8752921D       04         156.10       179       2.0810300D       00       1.5343558D       04         156.20       179       2.0985872D       00       2.4219930D       04         156.30       180       2.0975952D       00       8.8358141D       03         156.50       180       2.0947004D       00       6.8407952D       03         156.60       180       2.0789224D       00       2.7368				
155.30       178       2.0942861D 00       1.8914042D 04         155.40       178       2.1075673D 00       4.3216404D 04         155.50       179       2.0986487D 00       8.2867203D 03         155.60       179       2.1019446D 00       3.7151952D 03         155.70       179       2.1052341D 00       5.4891632D 03         155.80       179       2.1161033D 00       1.5856452D 04         155.90       179       2.1055505D 00       1.0981879D 04         156.00       179       2.1114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0975952D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
155.40       178       2.1075673D       00       4.3216404D       04         155.50       179       2.0986487D       00       8.2867203D       03         155.60       179       2.1019446D       00       3.7151952D       03         155.70       179       2.1052341D       00       5.4891632D       03         155.80       179       2.1161033D       00       1.5856452D       04         155.90       179       2.1055505D       00       1.0981879D       04         156.00       179       2.1114792D       00       1.8752921D       04         156.10       179       2.0810300D       00       1.5343558D       04         156.20       179       2.0985872D       00       2.4219930D       04         156.30       180       2.0875267D       00       1.7200109D       03         156.40       180       2.0975952D       00       8.8358141D       03         156.50       180       2.0947004D       00       6.8407952D       03         156.60       180       2.0789224D       00       2.7368919D       03         156.80       180       2.0656579D       00       1.7358				
155.50       179       2.0986487D 00       8.2867203D 03         155.60       179       2.1019446D 00       3.7151952D 03         155.70       179       2.1052341D 00       5.4891632D 03         155.80       179       2.1161033D 00       1.5856452D 04         155.90       179       2.1055505D 00       1.0981879D 04         156.00       179       2.1114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0875267D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
155.60       179       2.1019446D 00       3.7151952D 03         155.70       179       2.1052341D 00       5.4891632D 03         155.80       179       2.1161033D 00       1.5856452D 04         155.90       179       2.1055505D 00       1.0981879D 04         156.00       179       2.1114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0875267D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
155.70       179       2.1052341D 00       5.4891632D 03         155.80       179       2.1161033D 00       1.5856452D 04         155.90       179       2.1055505D 00       1.0981879D 04         156.00       179       2.1114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0875267D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0959502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
155.80       179       2.1161033D 00       1.5856452D 04         155.90       179       2.1055505D 00       1.0981879D 04         156.00       179       2.1114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0875267D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0959502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
155.90       179       2.1055505D 00       1.0981879D 04         156.00       179       2.1114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0875267D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0959502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
156.00       179       2.1114792D 00       1.8752921D 04         156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0875267D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0959502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
156.10       179       2.0810300D 00       1.5343558D 04         156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0875267D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0959502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04	·	<b>a</b> == -		
156.20       179       2.0985872D 00       2.4219930D 04         156.30       180       2.0875267D 00       1.7200109D 03         156.40       180       2.0975952D 00       8.8358141D 03         156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0959502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04				
156.30       180       2.0875267D       00       1.7200109D       03         156.40       180       2.0975952D       00       8.8358141D       03         156.50       180       2.0947004D       00       6.8407952D       03         156.60       180       2.0959502D       00       1.4798268D       04         156.70       180       2.0789224D       00       2.7368919D       03         156.80       180       2.0656579D       00       1.7358189D       04				
156.50       180       2.0947004D 00       6.8407952D 03         156.60       180       2.0959502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04	156.30			
156.60       180       2.0959502D 00       1.4798268D 04         156.70       180       2.0789224D 00       2.7368919D 03         156.80       180       2.0656579D 00       1.7358189D 04		180	2.09759520 00	8.8358141D 03
156.70     180     2.0789224D 00     2.7368919D 03       156.80     180     2.0656579D 00     1.7358189D 04	156.50	180	2.0947004D 00	6.8407952D 03
156.80 180 2.0656579D 00 1.7358189D 04				
156.90 180 2.0618597D 00 3.3612498D 04				
	156.90	180	2.0618597D 00	3.3612498D 04

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

157.00	α	No. of terms	$Q_{S}(lpha,\ 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
157.20				
157.30				
157.40				
157.50				
157.60				
157.70				
157.80				
157.90				
158.00				
158.20         182         2.03241940 00         1.21956290 03           158.30         182         2.02116690 00         5.16773200 03           158.40         182         2.01764090 00         1.06014680 04           158.50         182         2.02999190 00         7.14374300 03           158.60         182         2.03196480 00         1.8540612D 03           158.70         183         2.0332440 00         2.4873173D 03           158.80         183         2.0422153D 00         1.0381265D 04           158.90         183         2.0422153D 00         1.3193704D 04           159.00         183         2.0451004D 00         9.1861284D 03           159.10         183         2.0451004D 00         9.1861284D 03           159.20         183         2.0378997D 00         1.9525915D 04           159.30         183         2.0351899D 00         1.6623424D 02           159.40         183         2.055484D 00         1.2235770D 04           159.50         183         2.0452959D 00         1.6447443D 02           159.60         184         2.0550479D 00         1.4661274D 04           159.70         184         2.0549808D 00         8.1632527D 03           159.90 <td>158.00</td> <td>182</td> <td>2.0416010D 00</td> <td></td>	158.00	182	2.0416010D 00	
158.30         182         2.02116690         00         5.1677320D         03           158.40         182         2.0176409D         00         1.0661468D         00           158.50         182         2.0299919D         00         7.1437430D         03           158.60         182         2.0319648D         00         1.8540612D         03           158.70         183         2.0336244D         00         2.4873173D         03           158.80         183         2.042153D         00         1.0381265D         04           158.90         183         2.0451004D         00         9.1861284D         03           159.10         183         2.0451004D         00         9.1861284D         03           159.20         183         2.0378897D         00         1.9525915D         04           159.30         183         2.0351899D         00         1.6623424D         02           159.40         183         2.0554484D         00         1.2235770D         04           159.50         183         2.0550479D         00         1.6447443D         02           159.60         184         2.055049D         00         3.65257D <td>158.10</td> <td>182</td> <td>2.04705300 00</td> <td>1.5946644D 04</td>	158.10	182	2.04705300 00	1.5946644D 04
158.40         182         2.0176409D 00         1.0601468D 04           158.50         182         2.0299919D 00         7.1437430D 03           158.60         182         2.0319648D 00         2.4873173D 03           158.70         183         2.0336244D 00         2.4873173D 03           158.80         183         2.0422153D 00         1.0381265D 04           158.90         183         2.0337407D 00         1.3193704D 04           159.10         183         2.0451004D 00         9.1861284D 03           159.10         183         2.0180380D 00         2.4498861D 03           159.20         183         2.0378997D 00         1.9525915D 04           159.30         183         2.0351899D 00         1.6623424D 02           159.40         183         2.0452959D 00         1.64247443D 02           159.50         183         2.0452959D 00         1.6447443D 02           159.60         184         2.0550479D 00         1.6461274D 04           159.70         184         2.0459808D 00         8.1632527D 03           159.80         184         2.0459808D 00         3.9024958D 03           159.90         184         2.0459808D 00         6.5678702D 03           160.10			2.0324194D 00	1.2195629D 03
158.50         182         2.0299919D 00         7.1437430D 03           158.60         182         2.0319648D 00         1.8540612D 03           158.70         183         2.0336244D 00         2.4873173D 03           158.80         183         2.0422153D 00         1.0381265D 04           158.90         183         2.0337407D 00         1.3193704D 04           159.00         183         2.0451004D 00         9.1861284D 03           159.10         183         2.0180380D 00         2.4498861D 03           159.20         183         2.0378997D 00         1.9525915D 04           159.30         183         2.0351899D 00         1.6623424D 02           159.40         183         2.0452959D 00         1.6647443D 02           159.50         183         2.0452959D 00         1.6647443D 02           159.60         184         2.0459808D 00         8.1632527D 03           159.80         184         2.0459808D 00         8.1632527D 03           159.90         184         2.0459808D 00         8.1632527D 03           160.00         184         2.0665124D 00         7.5297912D 03           160.10         184         2.0665124D 00         7.0355313D 03           160.40<				
158.60         182         2.0319648D         00         1.8540612D         03           158.70         183         2.0336244D         00         2.4873173D         03           158.80         183         2.0422153D         00         1.0381265D         04           158.90         183         2.0337407D         00         1.3193704D         04           159.00         183         2.0451004D         00         9.1861284D         03           159.10         183         2.0180380D         00         2.4498861D         03           159.20         183         2.0378997D         00         1.9525915D         04           159.30         183         2.0351899D         00         1.6623424D         02           159.40         183         2.0452959D         00         1.6447443D         02           159.50         183         2.0452959D         00         1.6447443D         02           159.60         184         2.0554479D         00         1.4661274D         04           159.70         184         2.0459808D         00         8.1632527D         03           159.80         184         2.0399425D         00         3.9024958D				
158.70         183         2.0336244D         00         2.4873173D         03           158.80         183         2.0422153D         00         1.0381265D         04           158.90         183         2.0451004D         00         1.3193704D         04           159.00         183         2.0451004D         00         9.1861284D         03           159.10         183         2.0180380D         00         2.4498861D         03           159.20         183         2.0378997D         00         1.9525915D         04           159.30         183         2.0351899D         00         1.6623424D         02           159.40         183         2.0452959D         00         1.6623424D         02           159.50         183         2.0452959D         00         1.6447443D         02           159.60         184         2.0550479D         00         1.4661274D         04           159.70         184         2.0459808D         00         8.1632527D         03           159.80         184         2.0413940D         00         6.5678702D         03           160.00         184         2.06622241D         00         7.5297912				
158.80         183         2.0422153D         00         1.0381265D         04           158.90         183         2.0337407D         00         1.3193704D         04           159.00         183         2.0451004D         00         9.1861284D         03           159.10         183         2.0180380D         00         2.4498861D         03           159.20         183         2.0378997D         00         1.9525915D         04           159.30         183         2.0351899D         00         1.6623424D         02           159.40         183         2.0554484D         00         1.223577DD         04           159.50         183         2.0452959D         00         1.6447443D         02           159.60         184         2.0550479D         00         1.4661274D         04           159.70         184         2.0459808D         00         8.1632527D         03           159.80         184         2.0399425D         00         3.9024958D         03           160.00         184         2.0622241D         00         7.5297912D         03           160.10         184         2.064934D         00         2.0354249D<				
158.90         183         2.03374070 00         1.3193704D 04           159.00         183         2.0451004D 00         9.1861284D 03           159.10         183         2.0180380D 00         2.4498861D 03           159.20         183         2.0378997D 00         1.9525915D 04           159.30         183         2.0351899D 00         1.6623424D 02           159.40         183         2.0554484D 00         1.2235770D 04           159.50         183         2.0452959D 00         1.6447443D 02           159.60         184         2.0550479D 00         1.6461274D 04           159.70         184         2.0459808D 00         8.1632527D 03           159.80         184         2.0399425D 00         3.9024958D 03           159.90         184         2.0399425D 00         3.9024958D 03           160.00         184         2.06622241D 00         7.5297912D 03           160.10         184         2.0665124D 00         7.5297912D 03           160.20         184         2.0707101D 00         3.5004884D 02           160.30         184         2.0720998D 00         9.6578466D 03           160.40         185         2.08949454D 00         9.6578466D 03           160.6				
159.00				
159.10         183         2.0180380D         00         2.4498861D         03           159.20         183         2.0378997D         00         1.9525915D         04           159.30         183         2.0351899D         00         1.6623424D         02           159.40         183         2.0452959D         00         1.6447443D         02           159.50         183         2.0452959D         00         1.6447443D         02           159.60         184         2.0550479D         00         1.4661274D         04           159.70         184         2.0459808D         00         8.1632527D         03           159.80         184         2.0459808D         00         8.1632527D         03           159.80         184         2.0413940D         00         6.5678702D         03           159.90         184         2.0413940D         00         6.5678702D         03           160.00         184         2.0622241D         00         7.5297912D         03           160.10         184         2.0665124D         00         2.0354249D         03           160.20         184         2.07786457D         00         7.0355313				
159.20         183         2.0378997D 00         1.9525915D 04           159.30         183         2.0351899D 00         1.6623424D 02           159.40         183         2.0554484D 00         1.2235770D 04           159.50         183         2.0452959D 00         1.6447443D 02           159.60         184         2.0550479D 00         1.4661274D 04           159.70         184         2.0459808D 00         8.1632527D 03           159.80         184         2.0399425D 00         3.9024958D 03           159.90         184         2.0413940D 00         6.5678702D 03           160.00         184         2.0622241D 00         7.5297912D 03           160.10         184         2.0665124D 00         2.0354249D 03           160.20         184         2.0707101D 00         3.5004884D 02           160.30         184         2.0786457D 00         7.0355313D 03           160.40         185         2.0720998D 00         9.6578466D 03           160.50         185         2.0896145D 00         6.866124D 03           160.50         185         2.084954BD 00         1.0591319D 04           160.80         185         2.084954BD 00         1.0591319D 04           160.90 </td <td></td> <td></td> <td></td> <td></td>				
159.30         183         2.0351899D         00         1.6623424D         02           159.40         183         2.0554484D         00         1.2235770D         04           159.50         183         2.0452959D         00         1.6447443D         02           159.60         184         2.0550479D         00         1.4661274D         04           159.70         184         2.0459808D         00         8.1632527D         03           159.80         184         2.04399425D         00         3.9024958D         03           159.90         184         2.0413940D         00         6.5678702D         03           160.00         184         2.06622241D         00         7.5297912D         03           160.10         184         2.0665124D         00         2.0354249D         03           160.20         184         2.0707101D         00         3.5004884D         02           160.30         184         2.0720998D         00         7.0355313D         03           160.50         185         2.0896145D         00         6.8686124D         03           160.60         185         2.08998D         00         1.0591319D				
159.40       183       2.0554484D       00       1.2235770D       04         159.50       183       2.0452959D       00       1.6447443D       02         159.60       184       2.0550479D       00       1.4661274D       04         159.70       184       2.0459808D       00       8.1632527D       03         159.80       184       2.0399425D       00       3.9024958D       03         159.90       184       2.0413940D       00       6.5678702D       03         160.00       184       2.0622241D       00       7.5297912D       03         160.10       184       2.0665124D       00       2.0354249D       03         160.20       184       2.0770710D       00       3.5004884D       02         160.30       184       2.0786457D       00       7.0355313D       03         160.40       185       2.0896145D       00       6.8686124D       03         160.60       185       2.0896145D       00       6.8686124D       03         160.60       185       2.0805998D       00       1.0591319D       04         160.80       185       2.0848546D       0       9.64343				
159.50       183       2.0452959D       00       1.6447443D       02         159.60       184       2.0550479D       00       1.4661274D       04         159.70       184       2.0459808D       00       8.1632527D       03         159.80       184       2.0399425D       00       3.9024958D       03         159.90       184       2.0413940D       00       6.5678702D       03         160.00       184       2.0665124D       00       7.5297912D       03         160.10       184       2.0665124D       00       2.0354249D       03         160.20       184       2.0777101D       00       3.5004884D       02         160.30       184       2.0786457D       00       7.0355313D       03         160.40       185       2.0896145D       00       9.6578466D       03         160.50       185       2.0896145D       00       6.8686124D       03         160.60       185       2.0849598D       00       1.0591319D       04         160.80       185       2.0848546D       00       9.6434361D       02         161.10       185       2.0939415D       00       5.1193				
159.60       184       2.0550479D       00       1.4661274D       04         159.70       184       2.0459808D       00       8.1632527D       03         159.80       184       2.0399425D       00       3.9024958D       03         159.90       184       2.0413940D       00       6.5678702D       03         160.00       184       2.0622241D       00       7.5297912D       03         160.10       184       2.0665124D       00       2.0354249D       03         160.20       184       2.0707101D       00       3.5004884D       02         160.30       184       2.0786457D       00       7.0355313D       03         160.40       185       2.0720998D       00       9.6578466D       03         160.50       185       2.0896145D       00       6.8686124D       03         160.60       185       2.084954BD       00       1.0591319D       04         160.80       185       2.0805998D       00       1.0591319D       04         161.00       185       2.0939415D       00       3.6561155D       04         161.10       185       2.0923570D       00       6.3786				
159.80       184       2.0399425D 00       3.9024958D 03         159.90       184       2.0413940D 00       6.5678702D 03         160.00       184       2.0622241D 00       7.5297912D 03         160.10       184       2.0665124D 00       2.0354249D 03         160.20       184       2.0707101D 00       3.5004884D 02         160.30       184       2.0786457D 00       7.0355313D 03         160.40       185       2.0720998D 00       9.6578466D 03         160.50       185       2.0896145D 00       6.8686124D 03         160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.0923570D 00       6.3786410D 03         161.20       186       2.0923570D 00       6.3786410D 03         161.40       186       2.0858309D 00       7.9498884D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60 <td></td> <td></td> <td>2.0550479D 00</td> <td></td>			2.0550479D 00	
159.90       184       2.0413940D 00       6.5678702D 03         160.00       184       2.0622241D 00       7.5297912D 03         160.10       184       2.0665124D 00       2.0354249D 03         160.20       184       2.0707101D 00       3.5004884D 02         160.30       184       2.0786457D 00       7.0355313D 03         160.40       185       2.0720998D 00       9.6578466D 03         160.50       185       2.0896145D 00       6.8686124D 03         160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.0923570D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.40       186       2.0858309D 00       7.9498884D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70 <td>159.70</td> <td>184</td> <td>2.0459808D 00</td> <td>8.1632527D 03</td>	159.70	184	2.0459808D 00	8.1632527D 03
160.00       184       2.0622241D 00       7.5297912D 03         160.10       184       2.0665124D 00       2.0354249D 03         160.20       184       2.0707101D 00       3.5004884D 02         160.30       184       2.0786457D 00       7.0355313D 03         160.40       185       2.0720998D 00       9.6578466D 03         160.50       185       2.0896145D 00       6.8686124D 03         160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.0923570D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.40       186       2.0858309D 00       7.9498884D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80 <td>159.80</td> <td>184</td> <td>2.0399425D 00</td> <td></td>	159.80	184	2.0399425D 00	
160.10       184       2.06651240 00       2.0354249D 03         160.20       184       2.0707101D 00       3.5004884D 02         160.30       184       2.0786457D 00       7.0355313D 03         160.40       185       2.0720998D 00       9.6578466D 03         160.50       185       2.0896145D 00       6.8686124D 03         160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.0923570D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.40       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80 <td>159.90</td> <td></td> <td></td> <td>6.5678702D 03</td>	159.90			6.5678702D 03
160.20       184       2.0707101D 00       3.5004884D 02         160.30       184       2.0786457D 00       7.0355313D 03         160.40       185       2.0720998D 00       9.6578466D 03         160.50       185       2.0896145D 00       6.8686124D 03         160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.0923570D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
160.30       184       2.0786457D 00       7.0355313D 03         160.40       185       2.0720998D 00       9.6578466D 03         160.50       185       2.0896145D 00       6.8686124D 03         160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
160.40       185       2.0720998D 00       9.6578466D 03         160.50       185       2.0896145D 00       6.8686124D 03         160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
160.50       185       2.0896145D 00       6.8686124D 03         160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
160.60       185       2.0649358D 00       1.2034035D 03         160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
160.70       185       2.0805998D 00       1.0591319D 04         160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
160.80       185       2.0848546D 00       9.6434361D 02         160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
160.90       185       2.1158738D 00       3.6561155D 04         161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
161.00       185       2.0939415D 00       5.1193218D 02         161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
161.10       185       2.1022750D 00       1.7456567D 04         161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
161.20       186       2.0923570D 00       6.3786410D 03         161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
161.30       186       2.0858309D 00       7.9498884D 02         161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
161.40       186       2.0856176D 00       3.1058501D 02         161.50       186       2.1069198D 00       1.1254545D 04         161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03				
161.60       186       2.1066851D 00       2.5723567D 02         161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03			2.0856176D 00	3.1058501D 02
161.70       186       2.1078383D 00       2.2658782D 03         161.80       186       2.1090311D 00       3.5801098D 03	161.50	186		
161.80 186 2.1090311D 00 3.5801098D 03				
161.90 186 2.0980062D 00 1.6999964D 04				
	161.90	186	2.0980062D 00	1.6999964D 04

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

$\alpha$	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
162.00	187	2.1183218D 00	3.9717738D 03
162.10	187	2.0857885D 00	4.7701609D 02
162.20	187	2.0932829D 00	4.1706564D 03
162.30	187	2.0957228D 00	7.1878476D 02
162.40	187	2.1052643D 00	3.0320038D 03
162.50	187	2.0944678D 00	1.3072717D 03
162.60	187	2.0978763D 00	1.14583230 04
162.70	187	2.0828507D 00	1.5894653D 04
162.80	188	2.0747332D 00	6.7123042D 03
162.90	188	2.0702598D 00	3.8394993D 02
163.00	188	2.0889412D 00	1.6446022D 04
163.10	188	2.08073750 00	3.2762516D 02
163.20	188	2.0776206D 00	1.0523786D 03 4.2505859D 03
163.30	188	2.0716634D 00 2.0571940D 00	8.7524222D 03
163.40 163.50	188	2.0815350D 00	1.2502860D 03
163.60	188 189	2.0451625D 00	3.9474790D 03
163.70	189	2.0494612D 00	4.2378134D 02
163.80	189	2.0507344D 00	3.1769266D 03
163.00	189	2.0582698D 00	5.7523042D 03
164.00	189	2.0452238D 00	1.4656166D 03
164.10	189	2.0480769D 00	1.3196902D 04
164.20	189	2.0313690D 00	9.7640686D 03
164.30	190	2.0292237D 00	7.7600217D 03
164.40	190	2.0263212D 00	1.7265484D 03
164.50	190	2.0491989D 00	2.4009860D 04
164.60	190	2.0397260D 00	1.2343867D 03
164.70	190	2.0387642D 00	8.5294650D 03
164.80	190	2.0316240D 00	1.5276162D 03
164.90	190	2.0197768D 00	1.2888286D 04
165.00	190	2.0396618D 00	1.6886217D 04
165.10	191	2.0200354D 00	3.2665172D 03
165.20	191	2.0283786D 00	2.0019324D 01
165.30	191	2.0339382D 00	3.3480744D 03
165.40	191	2.0467744D 00	4.2789879D 03
165.50	191	2.0371479D 00	9.4997765D 03
165.60	191	2.0444200D 00	5.0416586D 03
165.70	191	2.0288298D 00	1.4187890D 04
165.80	191	2.0407207D 00	2.4721843D 04
165.90	192	2.0379222D 00	3.6155893D 03
166.00	192	2.0664068D 00	3.3844993D 04
166.10	192	2.0588207D 00	6.5564935D 02
166.20	192	2.0630028D 00	8.4067989D 03
166.30	192	2.0575432D 00	6.2037977D 03
166.40	192	2.0493128D 00	5.5313854D 03
166.50	192	2.0654800D 00	2.28100780 04
166.60	192	2.05943610 00	1.2165450D 04
166.70	193	2.0698978D 00	3.5860542D 03
166.80	193	2.0759686D 00	7.9334780D 03
166.90	193	2.0907263D 00	1.1573115D 04

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

lpha	No. of terms	$Q_{S}(lpha,\ 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
167.00	193	2.0822252D 00	1.28738870 04
167.10	193	2.0914890D 00	7.03300770 03
167.20 167.30	193 193	2.0735446D 00 2.0886571D 00	6.9308253D 03 2.0805331D 04
167.40	194	2.0865161D 00	5.2207558D 03
167.50	194	2.1121219D 00	3.7958823D 04
167.60	194	2.1041817D 00	1.4319989D 04
167.70	194	2.1038279D 00	2.3306416D 04
167.80	194	2.0948878D 00	1.2367577D 04
167.90	194	2.0847865D 00	1.1758279D 04
168.00	191	2.0954001D 00	2.9017471D 04
168.10	191	2.0925272D 00	1.0518725D 04
168.20	195	2.0994203D 00	2.3038890D 03
168.30	195	2.0997012D 00	5.4139796D 03
168-40	195	2.1092213D 00	8.5610264D 03
168.50	192	2.09527100 00	2.3966072D 04
168.60 168.70	192 192	2.1006649D 00	3.2538734D 03
168.80	192	2.0766800D 00 2.0935227D 00	1.1896595D 04 4.3439332D 04
168.90	193	2.0843155D 00	9.4165782D 03
169.00	193	2.0043133D 00 2.0998549D 00	4.2742867D 04
169.10	193	2.08744970 00	3.1649943D 03
169.20	193	2.0857160D 00	2.2251000D 04
169.30	193	2.07171120 00	1.4732253D 04
169.40	193	2.0574548D 00	9.2647011D 03
169.50	193	2.0613641D 00	1.7227201D 04
169.60	193	2.0609014D 00	2.3053756D 04
169.70	194	2.0649580D 00	1.0045212D 04
169.80	194	2.0614263D 00	1.2793132D 04
169.90	194	2.0681505D 00	1.7274531D 04
170.00	194	2.0520360D 00	3.1561972D 04
170.10	194	2.0562293D 00	8.3229016D 03
170.20	194	2.0305754D 00	7.2129667D 03
170.30	194	2.0510167D 00	4-1461672D 04
170.40	194	2.0386286D 00	8.9983977D 03
170.50	195	2.0473881D 00	3.4168381D 04 5.3023747D 03
170.60 170.70	195 195	2.0401148D 00 2.0405151D 00	5.3023747D 03 3.7090429D 04
170.80	195	2.0296901D 00	2.9180518D 04
170.90	195	2.0176608D 00	1.86913170 04
171.00	195	2.0212238D 00	2.0122272D 04
171.10	195	2.0276176D 00	2.1193852D 04
171.20	195	2.0343732D 00	7.8350414D 03
171.30	196	2.03265350 00	8.2356895D 03
171.40	196	2.0417981D 00	9.6707222D 03
171.50	196	2.0299720D 00	3.6423360D 04
171.60	1 96	2.0394915D 00	9.7586681D 03
171.70	196	2.0238869D 00	1.2155273D 04
171.80	196	2.0464536D 00	6.17187030 04
171.90	196	2.0373490D 00	1.6173116D 04

TABLE I.- EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Continued

α	No. of terms	$Q_{ m S}(lpha,~1.5)$	$I(\alpha, 1.5, 180^{\circ})$
172.00	196	2.0471870D 00	3.0225810D 04
172.10	197	2.0440276D 00	4.7300584D 03
172.20	197	2.0484776D 00	3.5016955D 04
172.30	197	2.0443149D 00	2.5227542D 04
172.40	197	2.0375514D 00	1.3380498D 04
172.50	197	2.0445987D 00	1.1300599D 04
172.60	197	2.0573052D 00	3.1012145D 04
172.70	197	2.0672305D 00	1.7037169D 04
172.80	197	2.0672220D 00	2.1810393D 04
172.90	198	2.0767544D 00	1.5545751D 04
173.00	198	2.0662084D 00	4.7583595D 04
173.10 173.20	198	2.0773610D 00	2.0784489D 04
173.30	198 198	2.0634285D 00 2.0884628D 00	1.2318926D 04
173.40	198	2.0836490D 00	4.0780385D 04
173.50	198	2.0830490D 00 2.0934705D 00	1.0503390D 04 2.5213338D 04
173.60	198	2.0881714D 00	8.3571754D 03
173.70	198	2.0912321D 00	4.3324500D 04
173.80	199	2.0876390D 00	4.4302390D 04
173.90	199	2.0799806D 00	2.2297527D 04
174.00	199	2.0847418D 00	1.5634181D 04
174.10	199	2.0963497D 00	2.7510819D 04
174.20	199	2.1036864D 00	1.4947158D 04
174.30	199	2.1000698D 00	1.54631750 04
174.40	199	2.1042081D 00	6.7792334D 03
174.50	199	2.0892423D 00	4.0586120D 04
174.60	200	2.0959535D 00	2.8384445D 04
174.70	200	2.0813877D 00	1-4528713D 04
174.80	200	2.0966141D 00	3.5349185D 04
174.90	200	2.0923715D 00	1.7371736D 04
175.00	200	2.0981882D 00	3.2514566D 04
175.10	200	2.0864216D 00	9.3947315D 03
175.20	200	2.0848191D 00	4.2535329D 04
175.30	200	2.0785850D 00	3.4649253D 04
175.40	201	2.0689063D 00	1.4480846D 04
175.50	201	2.0686102D 00	7.9296118D 03
175.60	201	2.0754229D 00	2.7610628D 04
175.70	201	2.0784159D 00	1.8116270D 04
175.80	201	2.0705064D 00	2.8176782D 04
175.90	201	2.0686009D 00	8.5955441D 03
176.00	201	2.0505234D 00	5.0186984D 04
176.10	201	2.0572262D 00	4.2662822D 04
176.20 176.30	202	2.0436340D 00	9.8172045D 03
176.40	202 202	2.0526683D 00 2.0495628D 00	1.8357341D 04
176.50	202	2.0545928D 00	7.3913609D 03 2.4684185D 04
176.60	202	2.0401556D 00	2.4684185D 04 1.1169100D 04
176.70	202	2.0401338B 00 2.0375193D 00	4.1174896D 04
176.80	202	2.0315173D 00 2.0315870D 00	4.7247517D 04
176.90	203	2.0278270D 00	2.4046326D 04
2.04/0	203	2402.02.00 00	2010703200 04

TABLE I. - EFFICIENCY FACTORS AND INTENSITY FUNCTIONS - Concluded

α	No. of terms	$Q_{S}(\alpha, 1.5)$	$I(\alpha, 1.5, 180^{\circ})$
177.00	203	2.0285176D 00	1.3182197D 04
177.10 177.20	203	2.0360954D 00 2.0410066D 00	2.3648567D 04
177.30	203 203	2.0410066D 00 2.0347276D 00	1.7601009D 04 1.9585567D 04
177.40	203	2.0322300D 00	2.5761076D 03
177.50	203	2.0169346D 00	3.0985295D 04
177.60	203	2.0305528D 00	4.77233170 04
177.70	204	2.0217457D 00	1.17891450 04
177.80	204	2.0330724D 00	1.4992304D 04
177.90	204	2.0350037D 00	1.1545569D 04
178.00	204	2.0450217D 00	3.5023697D 04
178.10	204	2.0337235D 00	1.2135745D 04
178.20	204	2.0344396D 00	4.1403205D 04
178.30	204	2.0309349D 00	2.9466080D 04
178.40	204	2.0364347D 00	1.6022367D 04
178.50	205	2.0406227D 00	5.9959046D 03
178.60 178.70	205 205	2.0511710D 00 2.0598949D 00	1.8309815D 04
178.80	205	2.0582182D 00	1.8348846D 04 2.8217905D 04
178.90	205	2.0569709D 00	1.6797357D 03
179.00	205	2.0458416D 00	3.4384171D 04
179.10	205	2.0652949D 00	5.8623630D 04
179.20	205	2.0589906D 00	8.2759514D 03
179.30	206	2.0711624D 00	9.9215615D 03
179.40	206	2.0740641D 00	3.5351071D 03
179.50	206	2.0863670D 00	2.2274320D 04
179.60	206	2.0761519D 00	1.0671494D 04
179.70	206	2.0770082D 00	2.8473867D 04
179.80	206	2.0728447D 00	2.3621418D 04
179.90	206	2.0839249D 00	2.6613932D 04
180.00	207	2.0854432D 00	1.1449501D 04
180.10	207	2.09257450 00	1.5876509D 04
180.20	207	2.0977616D 00	1.4540698D 04
180.30	207	2.0954409D 00 2.0907221D 00	2.0470935D 04
180.40 180.50	20 <b>7</b> 207	2.0907221D 00 2.0783336D 00	3.1940566D 02 1.3159096D 04
180.60	207	2.0956633D 00	4.3682436D 04
180.70	207	2.0888566D 00	7.4722746D 03
180.80	208	2.0968820D 00	9.6225968D 03
180.90	208	2.0937563D 00	6.0619046D 03
181.00	208	2.1016896D 00	3.3071366D 04
181.10	208	2.0873408D 00	1.2824158D 04
181.20	208	2.0829268D 00	2.5612750D 04
181.30	208	2.0753357D 00	6.7654129D 03
181-40	205	2.0867789D 00	1.6441540D 04
181.50	205	2.0823839D 00	3.9342228D 03
181.60	209	2.0840289D 00	9.6499830D 03
181.70	209	2.0825507D 00	5.8621500D 03
181.80	209	2.0765258D 00	2.80342010 04
181.90	206	2.0678371D 00	1.5620947D 03

## TABLE II.- INTEGRATED INTENSITY FUNCTIONS AND INTEGRATED EFFICIENCY FACTORS

1		, ,		ı	,	ı i		
$\alpha_1$	Δα	$\alpha_2$	$^{\mathrm{r}_{1},}_{\mu\mathrm{m}}$	$^{\mathrm{r}}{}_{\mathrm{2}}, \ \mu\mathrm{m}$	$\Phi(\alpha_1,\alpha_2,1.5,180^{\circ},\nu)$	$K(\alpha_1,\alpha_2,1.5,\nu)$	λ, μm	ν
0.71	0.10	181.00	0.0392	10.0018	1.2050086D 00	3.9517535D 00	0.3472	2.50
0.46	0.10	118.60	0.0388	10.0042	1.1776678D 00	3.8925297D 00	0.5300	2.50
0.35	0.10	90.50	0.0387	10.0004	1.1562599D 00	3.8388696D 00	0.6943	2.50
0.23	0.10	59.30	0.0388	10.0042	1.1178723D 00	3.7349920D 00	1.0600	2.50
0.71	0.10	181.00	0.0392	10.0018	4.3969632D-01	1.8360648D 00	0.3472	3.00
0.46	0.10	118.60	0.0388	10.0042	4.4841787D-01	1.8471357D 00	0.5300	3.00
0.35	0.10	90.50	0.0387	10.0004	4.4853833D-01	1.8450114D 00	0.6943	3.00
0.23	0.10	59.30	0.0388	10.0042	4.4488736D-01	1.8349721D 00	1.0600	3.00
0.71	0.10	181.00	0.0392	10.0018	2.1018283D-01	1.0354543D 00	0.3472	3.50
0.46	0.10	118.60	0.0388	10.0042	2.2539814D-01	1.0578136D 00	0.5300	3.50
0.35	0.10	90.50	0.0387	10.0004	2.2912987D-01	1.0628771D 00	0.6943	3.50
0.23	0.10	59.30	0.0388	10.0042	2.3086882D-01	1.0656455D 00	1.0600	3.50
0.71	0.10	181.00	0.0392	10.0018	1.2809336D-01	6.6097566D-01	0.3472	4.00
0.46	0.10	118.60	0.0388	10.0042	1.4874139D-01	6.9192222D-01	0.5300	4.00
0.35	0.10	90.50	0.0387	10.0004	1.5527606D-01	7.0117691D-01	0.6943	4.00
0.23	0.10	59.30	0.0388	10.0042	1.6011098D-01	7.0872590D-01	1.0600	4.00
0.71	0.10	54.30	0.0392	3.0005	1.0948952D 00	3.6939711D 00	0.3472	2.50
0.46	0.10	35.60	0.0388	3.0029	1.0500875D 00	3.5691579D 00	0.5300	2.50
0.35	0.10	27.10	0.0387	2.9946	9.8956483D-01	3.4631848D 00	0.6943	2.50
0.23	0.10	17.80	0.0388	3.0029	8.9531258D-01	3.2633847D 00	1.0600	2.50
0.71	0.10	54.30	0.0392	3.0005	4.2827067D-01	1.8089396D 00	0.3472	3.00
0.46	0.10	35.60	0.0388	3.0029	4.3202001D-01	1.8050769D 00	0.5300	3.00
0.35	0.10	27.10	0.0387	2.9946	4.2323520D-01	1.7890080D 00	0.6943	3.00
0.23	0.10	17.80	0.0388	3.0029	4.0423337D-01	1.7481963D 00	1.0600	3.00
0.71	0.10	54.30	0.0392	3.0005	2.0896117D-01	1.0325190D 00	0.3472	3.50
0.46	0.10	35.60	0.0388	3.0029	2.2323800D-01	1.0521881D 00	0.5300	3.50
0.35	0.10	27.10	0.0387	2.9946	2.2517793D-01	1.0542917D 00	0.6943	3.50
0.23	0.10	17.80	0.0388	3.0029	2.2325278D-01	1.0492279D 00	1.0600	3.50
0.71	0.10	54.30	0.0392	3.0005	1.2795904D-01	6.6064975D-01	0.3472	4.00
0.46	0.10	35.60	0.0388	3.0029	1.4845024D-01	6.9115021D-01	0.5300	4.00
0.35	0.10	27.10	0.0387	2.9946	1.5464265D-01	6.9982656D-01	0.6943	4.00
0.23	0.10	17.80	0.0388	3.0029	1.5865133D-01	7.0553938D-01	1.0600	4.00

TABLE II.- INTEGRATED INTENSITY FUNCTIONS AND INTEGRATED EFFICIENCY FACTORS - Concluded

г	Т-	1	1	ī	I	1	1	
$\alpha_1$	Δα	$\alpha_{2}$	$\mu m$	$\begin{array}{c} \mathbf{r_2}, \\ \mu\mathrm{m} \end{array}$	$\Phi(\alpha_1,\alpha_2,1.5,180^{\circ},\nu)$	$\left  \text{K}(\alpha_1,\alpha_2,1.5,\nu) \right $	λ, μm	ν
1.44	0.10	181.00	0.0796	10.0018	1.1468031D 00	3.7840695D 00	0.3472	2.50
0.94	0.10	118.60	0.0793	10.0042	1.1534379D 00	3.8502472D 00	0.5300	2.50
0.71	0.10	90.50	0.0785	10.0004	1.1456618D 00	3.8236441D 00	0.6943	2.50
0.46	0.10	59.30	0.0776	10.0042	1.1165251D 00	3.7321554D 00	1.0600	2.50
1.44	0.10	181.00	0.0796	10.0018	3.8170589D-01	1.6745790D 00	0.3472	3.00
0.94	0.10	118.60	0.0793	10.0042	4.1934908D-01	1.7969013D 00	0.5300	3.00
0.71	0.10	90.50	0.0785	10.0004	4.3440346D-01	1.8245639D 00	0.6943	3.00
0.46	0.10	59.30	0.0776	10.0042	4.4167810D-01	1.8293449D 00	1.0600	3.00
1.44	0.10	181.00	0.0796	10.0018	1.5195134D-01	8.7879873D-01	0.3472	3.50
0.94	0.10	118.60	0.0793	10.0042	1.9018262D-01	9.9754181D-01	0.5300	3.50
0.71	0.10	90.50	0.0785	10.0004	2.0970588D-01	1.0344117D 00	0.6943	3.50
0.46	0.10	59.30	0.0776	10.0042	2.2464903D-01	1.0558207D 00	1.0600	3.50
1.44	0.10	181.00	0.0796	10.0018	6.9116778D-02	5.0769817D-01	0.3472	4.00
0.94	0.10	118.60	0.0793	10.0042	1.0563904D-01	6.1886311D-01	0.5300	4.00
0.71	0.10	90.50	0.0785	10.0004	1.2804994D-01	6.6088024D-01	0.6943	4.00
0.46	0.10	59.30	0.0776	10.0042	1.4865745D-01	6.9169684D-01	1.0600	4.00
1.44	0.10	54.30	0.0796	3.0005	1.0366896D 00	3.5262871D 00	0.3472	2.50
0.94	0.10	35.60	0.0793	3.0029	1.0258575D 00	3.5268754D 00	0.5300	2.50
0.71	0.10	27.10	0.0785	2.9946	9.7896667D-01	3.4479594D 00	0.6943	2.50
0.46	0.10	17.80	0.0776	3.0029	8.9396541D-01	3.2605481D 00	1.0600	2.50
1.44	0.10	54.30	0.0796	3.0005	3.7028025D-01	1.6474538D 00	0.3472	3.00
0.94	0.10	35.60	0.0793	3.0029	4.0295123D-01	1.7548425D 00	0.5300	3.00
0.71	0.10	27.10	0.0785	2.9946	4.0910034D-01	1.7685605D 00	0.6943	3.00
0.46	0.10	17.80	0.7776	3.0029	4.0102411D-01	1.7425690D 00	1.0600	3.00
1.44	0.10	54.30	0.0796	3.0025	1.5072967D-01	8.7586341D-01	0.3472	3.50
0.94	0.10	35.60	0.0793	3.0029	1.8802248D-01	9.9191626D-01	0.5300	3.50
0.71	0.10	27.10	0.0785	2.9946	2.0575394D-01	1.0258263D 00	0.6943	3.50
0.46	0.10	17.80	0.0776	3.0029	2.1703299D-01	1.0394031D 00	1.0600	3.50
1.44	0.10	54.30	0.0796	3.0005	6.8982462D-02	5.0737226D-01	0.3472	4.00
0.94	0.10	35.60	0.0793	3.0029	1.0534789D-01	6.1809110D-01	0.5300	4.00
0.71	0.10	27.10	0.0785	2.9946	1.2741654D-01	6.5952989D-01	0.6943	4.00
0.46	0.10	17.80	0.0776	3.0029	1.4719780D-01	6.8851032D-01	1.0600	4.00

OFFICIAL BUSINESS

FIRST CLASS MAIL

POSTAGE AND FEES PAID NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

POSTMASTER: If Undeliverable (Section 158 Postal Manual) Do Not Return

"The aeronautical and space activities of the United States shall be conducted so as to contribute . . . to the expansion of human knowledge of phenomena in the atmosphere and space. The Administration shall provide for the widest practicable and appropriate dissemination of information concerning its activities and the results thereof."

— NATIONAL AERONAUTICS AND SPACE ACT OF 1958

## NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS

TECHNICAL REPORTS: Scientific and technical information considered important, complete, and a lasting contribution to existing knowledge.

TECHNICAL NOTES: Information less broad in scope but nevertheless of importance as a contribution to existing knowledge.

## TECHNICAL MEMORANDUMS:

Information receiving limited distribution because of preliminary data, security classification, or other reasons.

CONTRACTOR REPORTS: Scientific and technical information generated under a NASA contract or grant and considered an important contribution to existing knowledge.

TECHNICAL TRANSLATIONS: Information published in a foreign language considered to merit NASA distribution in English.

SPECIAL PUBLICATIONS: Information derived from or of value to NASA activities. Publications include conference proceedings, monographs, data compilations, handbooks, sourcebooks, and special bibliographies.

## TECHNOLOGY UTILIZATION

PUBLICATIONS: Information on technology used by NASA that may be of particular interest in commercial and other non-aerospace applications. Publications include Tech Briefs, Technology Utilization Reports and Notes, and Technology Surveys.

Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION DIVISION

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Washington, D.C. 20546